1998 Subject Index, Volumes 135–143

Abies
British Columbia, Holocene 141(1-2) 123-138
United States, Holocene 141(1-2) 123-138
absolute age *see also* C-14; charcoal
Australasia, paleomagnetism 143(4) 199-211
Germany, Miocene 142(3-4) 107-121
Acacia
Quaternary 141(3-4) 253-275
Acarinina sibaiyaensis
Paleocene 141(1-2) 139-161
actinides *see* thorium; uranium
actual age (absolute age) *see* absolute age
adaptive radiation
Mauritania, stratigraphy 142(3-4) 91-105
Mediterranean Sea, Cretaceous 138(1-4) 305-323
Phanerozoic 143(1-3) 192-193
Trilobita 143(1-3) 193-194
Africa *see also* Central Africa; North Africa; Southern Africa; West Africa
Cambrian, Volta Basin 139(3-4) 107-120
Quaternary 139(1-2) 83-100; 142(1-2) 51-84
Congo River 138(1-4) 17-26
East African Lakes 140(1-4) 7-21
Kalahari Desert 137(3-4) 305-322; 138(1-4) 139-149
Lake Albert 136(1-4) 259-279
Lake Malawi 140(1-4) 401-420
Lake Tanganyika 140(1-4) 401-420
Sahel 136(1-4) 213-229
stratigraphy 139(1-2) 1-14
Vertebrata 137(3-4) 273-288; 141(1-2) 13-34
Agathoxylon
stratigraphy 141(3-4) 199-214
aggradation
Alberta, Quaternary 139(3-4) 233-249
Agnotozoic *see* Proterozoic
Aidaian
stratigraphy 136(1-4) 53-65
Alaska
Quaternary 136(1-4) 293-308
Alberta
Quaternary 140(1-4) 75-83
Red Deer River valley 139(3-4) 233-249
stratigraphy 143(1-3) 87-110
Albian
Alberta 143(1-3) 87-110
Switzerland 137(3-4) 189-203
algae
Botryococcus, Sweden 140(1-4) 347-356
calcareous algae, Italy 138(1-4) 85-113
Charophyta, Europe 140(1-4) 245-269
Chlorophyta, Germany 140(1-4) 289-305
Coccolithophoraceae, Atlantic Ocean 135(1-4) 71-96
diatoms
China 138(1-4) 151-173
Hong Kong 138(1-4) 151-173
Switzerland 140(1-4) 51-73; 140(1-4) 307-323
nannofossils
Brazil 142(3-4) 175-184
Greenland 135(1-4) 109-121
Japan Sea 135(1-4) 51-69
Switzerland 137(3-4) 189-203
Rhodophyta, Italy 137(1-2) 173-187
algal biscuits
Argentina, Jurassic 140(1-4) 357-366
alkaline earth metals *see* barium
alkanes *see* methane
alkenones
Atlantic Ocean, Quaternary 135(1-4) 71-96
Allan Hills
sedimentary petrology 141(1-2) 35-51
Allerod
Switzerland 140(1-4) 51-73
alluvial deposits *see* alluvium
alluvial fans
Alberta, Quaternary 139(3-4) 233-249
Atlantic Ocean, Quaternary 138(1-4) 17-26
alluvium
Alberta, stratigraphy 143(1-3) 87-110
Italy, Quaternary 140(1-4) 97-111
Alpes-de-Haute Provence France
Quaternary 136(1-4) 231-258
Alpine Orogeny
Germany, Miocene 142(3-4) 107-121
Alps *see also* Germany
Quaternary 140(1-4) 7-21
stratigraphy
Dolomites 138(1-4) 85-113
Northern Limestone Alps 143(4) 307-343
South Austrian Alps 143(4) 307-343
Amazon Basin
Miocene 141(1-2) 85-93; 143(1-3) 31-50
Amazonas Colombia
Miocene 141(1-2) 85-93
amber
Australia, stratigraphy 136(1-4) 19-40
Indonesia, stratigraphy 136(1-4) 19-40
amino acids
Idaho, Quaternary 141(1-2) 95-114
South Africa, Quaternary 136(1-4) 121-137
Ammonitico Rosso
stratigraphy 135(1-4) 163-177
Ammonoidea
Australasia, paleomagnetism 143(4) 199-211
Burma, Triassic 143(4) 285-291
France, stratigraphy 135(1-4) 145-155
Italy, stratigraphy 135(1-4) 163-177; 142(1-2) 33-50
Mediterranean Sea, Cretaceous 138(1-4) 305-323
Mongolia, paleomagnetism 143(4) 273-283
New Zealand, stratigraphy 136(1-4) 97-119
Russian Federation, paleomagnetism 143(4) 273-283
Vietnam, Triassic 143(4) 285-291
Amphibia
India 137(1-2) 153-172
analogues, modern *see* modern analogs
ancient ice ages
Africa, Cambrian 139(3-4) 107-120
Antarctica, sedimentary petrology 141(1-2) 35-51
Kentucky, Ordovician 138(1-4) 27-42
New South Wales Australia, stratigraphy 136(1-4) 1-17
stratigraphy 141(1-2) 174-175
Virginia, Ordovician 138(1-4) 27-42
Angiospermae *see also* Dicotyledoneae
Mexico, stratigraphy 142(3-4) 231-254
Texas, Permian 142(3-4) 139-173
Angola Basin
Quaternary 142(1-2) 51-84
Anisian
Africa 143(4) 345-382
Commonwealth of Independent States 143(4) 345-382
Annelida
New Zealand, stratigraphy 136(1-4) 97-119
annual growth rings *see* tree rings
Antarctic Continent *see* Antarctica
Antarctic Ocean
Quaternary 141(3-4) 277-301
Weddell Sea 139(3-4) 195-211
stratigraphy
McMurdo Sound 139(3-4) 213-231
Ross Sea 139(3-4) 213-231
Antarctic Peninsula
Quaternary 141(1-2) 163-165
Tertiary 141(3-4) 215-232
Antarctica
Quaternary 139(3-4) 195-211
Antarctic Peninsula 141(1-2) 163-165
sedimentary petrology, Allan Hills 141(1-2) 35-51
stratigraphy 139(3-4) 213-231
Tertiary, Antarctic Peninsula 141(3-4) 215-232
Anthozoa *see* Zoantharia
Apennines *see also* Scaglia Formation
stratigraphy 135(1-4) 1-25; 142(1-2) 33-50
Appalachians
Ordovician 138(1-4) 27-42
Aptian
Antarctica 141(3-4) 215-232
Brazil 142(3-4) 175-184
Switzerland 137(3-4) 189-203
Arabian Gulf *see* Persian Gulf
Arabian Peninsula *see* Oman
Arabian Plate
Iran, petroleum 143(1-3) 191-192

Turkey, petroleum 143(1-3) 191-192
Arabian Sea *see* Persian Gulf
archaeological sites
Italy, Quaternary 136(1-4) 41-52
archaeology
Estonia, Quaternary 141(1-2) 165-166
Great Lakes, Quaternary 138(1-4) 271-303
Archaias
stratigraphy 136(1-4) 53-65
archeology *see* archaeology
Archosauria *see* Crocodilia; Ornithischia; Saurischia
Arctic Archipelago
sedimentation 141(1-2) 115-122
Arctic region *see* Greenland; Svalbard
Ardennes France
stratigraphy 139(3-4) 139-175
Argentina *see also* Tierra del Fuego
ichnofossils, Buenos Aires Argentina 136(1-4) 139-144
Jurassic
Mendoza Argentina 140(1-4) 357-366
Neuquen Basin 140(1-4) 357-366
Permian
La Rioja Argentina 138(1-4) 221-243
Paganzo Basin 138(1-4) 221-243
Quaternary, Santa Cruz Argentina 138(1-4) 207-219
argillite
Greenland, Miocene 135(1-4) 109-121
Arizona
Quaternary, Maricopa County Arizona 141(3-4) 253-275
Arthropoda *see also* Mandibulata; Trilobitomorpha
Branchiopoda
Mongolia 143(4) 273-283
Russian Federation 143(4) 273-283
stratigraphy 143(4) 227-272
Cladocera
Germany 140(1-4) 85-96
Poland 140(1-4) 335-345
artificial intelligence 136(1-4) 359-373
Ashgillian *see* Hirnantian
Asia *see also* Arabian Peninsula; Central Asia; Far East; Indian Peninsula; Middle East
paleomagnetism
Siberian Platform 143(4) 273-283
Tien Shan 143(4) 273-283
Tunguska Basin 143(4) 273-283
Quaternary
Lake Baikal 140(1-4) 401-420
Siberia 139(1-2) 15-36
Vertebrata 141(1-2) 13-34
Asia Minor *see* Turkey
Atlantic Ocean *see also* North Atlantic
Invertebrata 138(1-4) 1-15; 142(1-2) 87-88
Jurassic 137(1-2) 127-151
Miocene 135(1-4) 109-121
paleomagnetism, Bay of Biscay 141(3-4) 303-328
Quaternary 137(3-4) 305-322; 138(1-4) 17-26; 138(1-4) 187-206
Angola Basin 142(1-2) 51-84
Romanche fracture zone 142(3-4) 217-230
Vema fracture zone 142(3-4) 217-230
Walvis Ridge 135(1-4) 71-96
West Atlantic 142(3-4) 217-230
stratigraphy 142(3-4) 175-184
Atlantic-type margins *see* passive margins
atmospheric precipitation
Argentina, Quaternary 138(1-4) 207-219
Atlantic Ocean, Quaternary 138(1-4) 17-26
Malaysia, Quaternary 139(1-2) 83-100
New Zealand, Quaternary 139(1-2) 37-58
Quaternary 139(1-2) 15-36
Australasia *see* New Zealand; Papua New Guinea
Australia *see also* New South Wales Australia; Northern Territory Australia; Queensland Australia
stratigraphy 136(1-4) 19-40; 142(3-4) 255-258
Austria
stratigraphy, South Austrian Alps 143(4) 307-343
Triassic, Vorarlberg Austria 136(1-4) 79-95
Aves
Neornithes, South Africa 136(1-4) 121-137
Axel Heiberg Island
sedimentation 141(1-2) 115-122
Ba *see* barium
Baden-Wurttemberg Germany
Quaternary 140(1-4) 421-432
Baikal (Lake) *see* Lake Baikal
Bakken Formation 142(3-4) 185-200
Balaton (Lake) *see* Lake Balaton
Baltic region *see also* Estonia
Quaternary 142(1-2) 88
barium
Antarctic Ocean, Quaternary 139(3-4) 195-211
Europe, stratigraphy 140(1-4) 245-269
Barranca de Los Lobos Formation
ichnofossils 136(1-4) 139-144
Barrandian Basin
Invertebrata 138(1-4) 69-83
Barremian
Europe 140(1-4) 245-269
basalts *see* flood basalts
basin analysis
China, Triassic 143(4) 293-305
basins *see also* foreland basins
China
Quaternary 140(1-4) 459-473
Triassic 143(4) 293-305
Iran, petroleum 143(1-3) 191-192
Italy, stratigraphy 142(1-2) 33-50
Namibia, Jurassic 140(1-4) 185-215
sedimentary petrology 140(1-4) 367-382
South Africa, Jurassic 140(1-4) 185-215
Spain, Miocene 140(1-4) 217-243
stratigraphy 140(1-4) 1-473
Turkey, petroleum 143(1-3) 191-192
United Kingdom, petroleum 140(1-4) 121-134
United States, petroleum 140(1-4) 121-134
basins, drainage *see* drainage basins
Basque Provinces Spain
paleomagnetism 141(3-4) 303-328
Basses-Alpes *see* Alpes-de-Haute Provence France
Bathonian
France 141(3-4) 199-214; 143(1-3) 135-158
Bathurst Island Group
Cretaceous 138(1-4) 115-138
bauxitization
Australia, stratigraphy 142(3-4) 255-258
Bay of Biscay
paleomagnetism 141(3-4) 303-328
Baylor County Texas
Permian 142(3-4) 139-173
Bear Lake County Idaho
Quaternary 141(1-2) 95-114
Bear River basin
Quaternary 141(1-2) 95-114
Bechuanaland *see* Botswana
bedding
Japan, stratigraphy 141(1-2) 53-65
bedding plane irregularities *see* ripple marks
Belemnoidea
New Zealand, stratigraphy 136(1-4) 97-119
Bellerophon Formation
stratigraphy 138(1-4) 85-113
Bering land bridge *see* Beringia
Bering Strait
Quaternary 136(1-4) 293-308
Beringia
Alaska, Quaternary 136(1-4) 293-308
bernstein *see* amber
biocenoses
France, stratigraphy 143(1-3) 179-190
biochemical sedimentation
Italy, stratigraphy 142(1-2) 33-50
bioclastic sedimentation
Atlantic Ocean
Invertebrata 138(1-4) 1-15
Quaternary 138(1-4) 187-206
biocoenoses *see* biocenoses
biodiversity
Africa, Vertebrata 141(1-2) 13-34
Argentina, Quaternary 138(1-4) 207-219
Europe, Vertebrata 141(1-2) 13-34
France, stratigraphy 139(3-4) 139-175
Italy, stratigraphy 138(1-4) 85-113
Pacific Ocean, Paleocene 141(1-2) 139-161
Utah, Quaternary 138(1-4) 175-185
biogenic structures *see* algal structures; bioherms; bioturbation; lebensspuren; oncolites; stromatolites
biogeography *see also* adaptive radiation; continental drift; land bridges
Arizona 141(3-4) 253-275
Atlantic Ocean, Invertebrata 138(1-4) 1-15
Australia, stratigraphy 136(1-4) 19-40
Burma, Triassic 143(4) 285-291
Caribbean Sea, Pliocene 142(1-2) 88-89

France, stratigraphy 139(3-4) 139-175
Idaho, Quaternary 141(1-2) 95-114
Indonesia, stratigraphy 136(1-4) 19-40
Mammalia 139(1-2) 104-105
Mediterranean region
Jurassic 137(1-2) 127-151
Vertebrata 137(3-4) 273-288
Middle East, Vertebrata 137(3-4) 273-288
Mongolia, paleomagnetism 143(4) 273-283
New Zealand, stratigraphy 136(1-4) 97-119
Norway, Quaternary 143(1-3) 159-177
Pacific Ocean, Quaternary 137(1-2) 55-77
Pliocene 135(1-4) 157-162
Russian Federation, paleomagnetism 143(4) 273-283
Spain, stratigraphy 141(1-2) 1-12
stratigraphy 137(3-4) 205-271
Vietnam, Triassic 143(4) 285-291
bioherms
France, stratigraphy 139(3-4) 139-175
biologic evolution *see also* adaptive radiation; cladistics
Africa, Vertebrata 141(1-2) 13-34
Europe
Invertebrata 138(1-4) 69-83
Vertebrata 141(1-2) 13-34
France, stratigraphy 143(1-3) 179-190
Mammalia 139(1-2) 104-105
Mexico, Invertebrata 136(1-4) 67-78
Pacific Ocean, Paleocene 141(1-2) 139-161
stratigraphy 142(1-2) 85-86
biological diversity *see* biodiversity
biological zones *see* biozones
biomarkers
Australia, stratigraphy 136(1-4) 19-40
Indonesia, stratigraphy 136(1-4) 19-40
Japan, stratigraphy 141(1-2) 53-65
biomineralization 138(1-4) 259-269
biopelite *see* black shale
biostratigraphy *see also* biomarkers; biozones; nannofossils; paleoecology; palynomorphs 135(1-4) 157-162
Africa, Quaternary 136(1-4) 259-279
Atlantic Ocean, Quaternary 138(1-4) 187-206
Baltic region, Quaternary 142(1-2) 88
France 135(1-4) 145-155
Quaternary 136(1-4) 231-258
Italy 135(1-4) 1-25; 135(1-4) 163-177
Northern Territory Australia 138(1-4) 115-138
Pacific Ocean, Quaternary 137(1-2) 55-77
bioturbation
140(1-4) 367-382
England, stratigraphy 137(1-2) 103-125
France, stratigraphy 137(1-2) 103-125
biotypes
Pacific Ocean, Paleocene 141(1-2) 139-161
biozones
Africa, stratigraphy 143(4) 345-382
Argentina, Quaternary 138(1-4) 207-219
Australasia, paleomagnetism 143(4) 199-211
Brazil, stratigraphy 142(3-4) 175-184
Burma, Triassic 143(4) 285-291
China
Quaternary 138(1-4) 151-173; 140(1-4) 459-473
stratigraphy 143(4) 213-226
Commonwealth of Independent States, stratigraphy 143(4) 345-382
Egypt, Paleocene 137(1-2) 79-101
Hong Kong, Quaternary 138(1-4) 151-173
Italy, stratigraphy 142(1-2) 33-50
Mauritania, stratigraphy 142(3-4) 91-105
Mediterranean region, Vertebrata 137(3-4) 273-288
Middle East, Vertebrata 137(3-4) 273-288
Mongolia, paleomagnetism 143(4) 273-283
Quaternary 139(1-2) 15-36
Russian Federation, paleomagnetism 143(4) 273-283
stratigraphy 142(1-2) 85-86
Vietnam, Triassic 143(4) 285-291
Biscay Bay *see* Bay of Biscay
bitumens
Australia, stratigraphy 136(1-4) 19-40
Indonesia, stratigraphy 136(1-4) 19-40
bituminous shale *see* black shale
Bivalvia *see also* Pterina
Argentina, Jurassic 140(1-4) 357-366
Burma, Triassic 143(4) 285-291
Colombia, Miocene 141(1-2) 85-93
England, stratigraphy 137(1-2) 103-125
France, stratigraphy 137(1-2) 103-125
Italy, stratigraphy 138(1-4) 85-113
Mediterranean region, Jurassic 137(1-2) 127-151
New Zealand, stratigraphy 136(1-4) 97-119
Vietnam, Triassic 143(4) 285-291
Black Sea region
Quaternary 143(1-3) 111-133
black shale
Canada, stratigraphy 142(3-4) 185-200
Japan, stratigraphy 141(1-2) 53-65
United States, stratigraphy 142(3-4) 185-200
bloating shale *see* shale
Bodensee *see* Lake Constance
body size *see* size
Bohemia
stratigraphy 136(1-4) 165-197
Bolivia
Quaternary 143(1-3) 51-72
book reviews
Antarctica, Quaternary 141(1-2) 163-165
Atlantic Ocean, Invertebrata 142(1-2) 87-88
Baltic region, Quaternary 142(1-2) 88
Brachiopoda 141(1-2) 173-174
Caribbean Sea, Pliocene 142(1-2) 88-89
Estonia, Quaternary 141(1-2) 165-166
France, sedimentary petrology 141(1-2) 170-171
ichnofossils 141(1-2) 166
Iran, petroleum 143(1-3) 191-192
Libya 141(1-2) 168-170
petroleum 139(1-2) 105-106
Mammalia 139(1-2) 104-105
paleontology 138(1-4) 327-328; 141(1-2) 171-173
Phanerozoic 143(1-3) 192-193
Quaternary 138(1-4) 325-326; 139(1-2) 101-102; 141(1-2) 167-168
Reptilia 139(1-2) 102-104
South America, Quaternary 141(1-2) 163-165
Spain, sedimentary petrology 141(1-2) 170-171
stratigraphy 141(1-2) 174-175; 142(1-2) 85-86
Trilobita 143(1-3) 193-194
Turkey, petroleum 143(1-3) 191-192
Vertebrata 138(1-4) 326-327
botany, paleo- *see* paleobotany
Botryococcus
Sweden, stratigraphy 140(1-4) 347-356
Botswana *see* Kalahari Desert
boundaries, stratigraphic *see* stratigraphic boundary
boundstone
Europe, stratigraphy 140(1-4) 245-269
Box Elder County Utah
Quaternary 138(1-4) 175-185
Brachiopoda
141(1-2) 173-174
New Zealand
Oligocene 138(1-4) 43-68
stratigraphy 136(1-4) 97-119
stratigraphy 142(1-2) 85-86
Brachyoxylon
stratigraphy 141(3-4) 199-214
Branchiopoda *see also* Cladocera
Mongolia, paleomagnetism 143(4) 273-283
Russian Federation, paleomagnetism 143(4) 273-283
stratigraphy 143(4) 227-272
Brazil *see also* Amazon Basin
stratigraphy, Sergipe-Alagoas Basin 142(3-4) 175-184
breccia
Greenland, Paleocene 140(1-4) 271-287
British Columbia
Holocene 141(1-2) 123-138
Brunhes Chron
Atlantic Ocean 142(1-2) 51-84
China 140(1-4) 459-473
Bryozoa
New Zealand, stratigraphy 136(1-4) 97-119
Buchanan Lake Formation
sedimentation 141(1-2) 115-122
Buenos Aires Argentina
ichnofossils 136(1-4) 139-144
Burdekin River
geomorphology 135(1-4) 123-144
Burkina Faso *see* Volta Basin
Burma
Triassic 143(4) 285-291
burrows
Spain, sedimentary petrology 140(1-4) 383-399
C *see* carbon
C-13/C-12
Africa, Quaternary 136(1-4) 259-279
Australasia, paleomagnetism 143(4) 199-211

Austria, Triassic 136(1-4) 79-95
Colombia, Miocene 141(1-2) 85-93
Egypt, Paleocene 137(1-2) 79-101
Europe
Invertebrata 138(1-4) 69-83
stratigraphy 140(1-4) 245-269
geochemistry 138(1-4) 259-269
Germany, stratigraphy 136(1-4) 331-358
Great Lakes, Quaternary 138(1-4) 271-303
Italy, paleomagnetism 139(3-4) 177-193
Japan Sea, Quaternary 135(1-4) 41-50
New Zealand, Oligocene 138(1-4) 43-68
Pacific Ocean, Paleocene 141(1-2) 139-161
South Africa, Quaternary 136(1-4) 121-137
Spain, paleomagnetism 141(3-4) 303-328
Switzerland
paleomagnetism 137(3-4) 189-203
Quaternary 140(1-4) 33-50; 140(1-4) 51-73

C-14
Africa, Quaternary 136(1-4) 259-279
Alaska, Quaternary 136(1-4) 293-308
Alberta, Quaternary 139(3-4) 233-249; 140(1-4) 75-83
Argentina, Quaternary 138(1-4) 207-219
Arizona, Quaternary 141(3-4) 253-275
Atlantic Ocean, Quaternary 142(3-4) 217-230
Bolivia, Quaternary 143(1-3) 51-72
Chile, Quaternary 141(3-4) 233-251
Colombia, Quaternary 139(3-4) 251-267
Germany, Quaternary 140(1-4) 421-432
Great Lakes, Quaternary 138(1-4) 271-303
Idaho, Quaternary 141(1-2) 95-114
Italy, Quaternary 140(1-4) 97-111
Malay Archipelago, Quaternary 137(1-2) 1-24
New Guinea, Quaternary 137(1-2) 1-24
New Zealand, Quaternary 139(1-2) 37-58
Quaternary 139(1-2) 15-36
Scotland, Quaternary 140(1-4) 23-31

cadmium
geochemistry 140(1-4) 441-457

Cainozoic *see* Cenozoic

Calabria Italy
Pleistocene 136(1-4) 375-376

calcareous algae
Italy, stratigraphy 138(1-4) 85-113

calcareous clay *see* marl

calcareous nannofossils *see* nannofossils

calcite
geochemistry 140(1-4) 441-457

Cambrian
141(1-2) 166; 143(1-3) 193-194
Africa 139(3-4) 107-120

Campanian
Mexico 142(3-4) 231-254
New Zealand 136(1-4) 97-119

Canada *see* Northwest Territories; Western Canada

Candoninae
Quaternary 140(1-4) 325-333

Caravaca Spain
stratigraphy 141(1-2) 67-83

carbargilite *see* coal

carbon
C-13/C-12
Africa 136(1-4) 259-279
Australasia 143(4) 199-211
Austria 136(1-4) 79-95
Colombia 141(1-2) 85-93
Egypt 137(1-2) 79-101
Europe 138(1-4) 69-83; 140(1-4) 245-269
geochemistry 138(1-4) 259-269
Germany 136(1-4) 331-358
Great Lakes 138(1-4) 271-303
Italy 139(3-4) 177-193
Japan Sea 135(1-4) 41-50
New Zealand 138(1-4) 43-68
Pacific Ocean 141(1-2) 139-161
South Africa 136(1-4) 121-137
Spain 141(3-4) 303-328
Switzerland 137(3-4) 189-203; 140(1-4) 33-50; 140(1-4) 51-73
C-14
Africa 136(1-4) 259-279
Alaska 136(1-4) 293-308
Alberta 139(3-4) 233-249; 140(1-4) 75-83
Argentina 138(1-4) 207-219
Arizona 141(3-4) 253-275
Atlantic Ocean 142(3-4) 217-230
Bolivia 143(1-3) 51-72
Chile 141(3-4) 233-251
Colombia 139(3-4) 251-267
Germany 140(1-4) 421-432
Great Lakes 138(1-4) 271-303
Idaho 141(1-2) 95-114
Italy 140(1-4) 97-111
Malay Archipelago 137(1-2) 1-24
New Guinea 137(1-2) 1-24
New Zealand 139(1-2) 37-58
Quaternary 139(1-2) 15-36
Scotland 140(1-4) 23-31
geochemistry 140(1-4) 441-457
organic carbon
Germany 136(1-4) 331-358; 140(1-4) 289-305
Japan 141(1-2) 53-65
Switzerland 137(3-4) 189-203

carbon cycle
Germany, stratigraphy 136(1-4) 331-358
Switzerland, paleomagnetism 137(3-4) 189-203

carbon dioxide *see* greenhouse effect

carbon-14 *see* C-14

carbonaceous shale *see* black shale

carbonate platforms
China, Triassic 143(4) 293-305
Europe, stratigraphy 140(1-4) 245-269
France, stratigraphy 141(3-4) 199-214
Italy, stratigraphy 142(1-2) 33-50
Pakistan, stratigraphy 142(3-4) 201-216
Switzerland, paleomagnetism 137(3-4) 189-203

carbonate rocks *see also* boundstone; limestone; rudstone
Argentina, Jurassic 140(1-4) 357-366
Connecticut, Jurassic 140(1-4) 161-184
France, stratigraphy 139(3-4) 139-175
Ireland, stratigraphy 139(3-4) 121-138
Kentucky, Ordovician 138(1-4) 27-42
Virginia, Ordovician 138(1-4) 27-42

carbonate sediments
Switzerland, Quaternary 140(1-4) 51-73

carbonates *see also* calcite
Switzerland 140(1-4) 33-50

Carboniferous *see also* Mississippian
141(1-2) 174-175
Dinantian, Ireland 139(3-4) 121-138

Caribbean Sea
Pliocene 142(1-2) 88-89

Caribou County Idaho
Quaternary 141(1-2) 95-114

Carnian
Africa 143(4) 345-382
Austria 143(4) 307-343
Commonwealth of Independent States 143(4) 345-382

Cascade Range
Holocene 141(1-2) 123-138

Catalonia Spain *see* Lerida Spain

catchments *see* drainage basins

Cathaysian
Permian 142(1-2) 23-31

cathodoluminescence 141(3-4) 303-328

Causses
stratigraphy 143(1-3) 135-158

Cd *see* cadmium

Celtis
geochemistry 138(1-4) 259-269

Cenomanian
England 137(1-2) 103-125
Europe 136(1-4) 165-197
France 137(1-2) 103-125

Cenozoic *see also* Quaternary; Tertiary
137(3-4) 205-271
Matuyama Chron
China 140(1-4) 459-473
Ukraine 143(1-3) 111-133

Central Africa *see* Congo; Congo River

Central Asia *see* Kazakhstan

Central Europe *see* Austria; Czech Republic; Germany; Hungary; Lake Constance; Northern Limestone Alps; Poland; Switzerland

Central Siberian Plateau *see* Siberian Platform

Cephalopoda *see* Dibranchiata; Tetrabranchiata

Ceratomorpha *see* Rhinocerotidae

Ceratopsia 138(1-4) 326-327

Cerro del Pueblo Formation
stratigraphy 142(3-4) 231-254

Ch'ang-hsing China *see* Changxing China

Chaidamu Basin *see* Qaidam Basin

Changhsingian
stratigraphy 143(4) 213-226

Changxing China
stratigraphy 143(4) 213-226

charcoal
Alberta, Quaternary 139(3-4) 233-249

Ireland, stratigraphy 139(3-4) 121-138
Charophyta
Europe, stratigraphy 140(1-4) 245-269
chemical analysis *see* diffusion
chemical weathering
Antarctic Ocean, stratigraphy 139(3-4) 213-231
Antarctica, Tertiary 141(3-4) 215-232
chemically precipitated rocks *see* chert; evaporites; phosphate rocks
chemostratigraphy
Switzerland, paleomagnetism 137(3-4) 189-203
chert
Japan, stratigraphy 141(1-2) 53-65
Chichibu Belt
stratigraphy 141(1-2) 53-65
Chile
Quaternary 141(3-4) 233-251
China *see also* Guizhou China; Hong Kong; Qinghai China; Zhejiang China
paleomagnetism 143(4) 199-211
Permian 142(1-2) 23-31
stratigraphy, Loess Plateau 135(1-4) 27-39
Chinle Formation 143(4) 345-382
Chironomidae
British Columbia, Holocene 141(1-2) 123-138
United States, Holocene 141(1-2) 123-138
Chlamys (Lyriochlamys)
stratigraphy 136(1-4) 97-119
chlorite
Atlantic Ocean, Quaternary 142(3-4) 217-230
Chlorophyta *see also* Botryococcus; Charophyta
Germany, Eocene 140(1-4) 289-305
Chondrichthyes
Spain, stratigraphy 141(1-2) 1-12
Chordata *see also* Vertebrata
New Zealand 136(1-4) 97-119
chorology *see* biogeography
cladistics
Phanerozoic 143(1-3) 192-193
Cladocera
Germany, environmental geology 140(1-4) 85-96
Poland, Quaternary 140(1-4) 335-345
cladograms *see* cladistics
clastic rocks *see also* argillite; black shale; breccia; diamictite; marl; molasse; mudstone; red beds; sandstone; shale; siltstone; tillite
China, Triassic 143(4) 293-305
Greenland, stratigraphy 140(1-4) 135-159
clastic sediments *see also* alluvium; clay; kaolin; loess; sand
Alberta, Quaternary 139(3-4) 233-249
Chile, Quaternary 141(3-4) 233-251
clay
Australasia, paleomagnetism 143(4) 199-211
Germany, Quaternary 140(1-4) 421-432
Scotland, Quaternary 140(1-4) 23-31
clay mineralogy *see also* clay minerals
Antarctic Ocean, stratigraphy 139(3-4) 213-231
Chile, Quaternary 141(3-4) 233-251
clay minerals *see also* illite; kaolinite; smectite
Atlantic Ocean 138(1-4) 17-26
Spain, stratigraphy 136(1-4) 309-330
climate change *see also* greenhouse effect
Argentina
Permian 138(1-4) 221-243
Quaternary 138(1-4) 207-219
Atlantic Ocean, Quaternary 138(1-4) 17-26; 138(1-4) 187-206; 142(1-2) 51-84
British Columbia, Holocene 141(1-2) 123-138
Chile, Quaternary 141(3-4) 233-251
China, Quaternary 138(1-4) 151-173
Denmark, Quaternary 138(1-4) 245-258
France, stratigraphy 141(3-4) 199-214
Germany
Eocene 140(1-4) 289-305
Quaternary 140(1-4) 421-432
Great Lakes, Quaternary 138(1-4) 271-303
Greenland, stratigraphy 140(1-4) 135-159
Hong Kong, Quaternary 138(1-4) 151-173
Italy, Quaternary 140(1-4) 97-111
Malaysia, Quaternary 139(1-2) 83-100
Namibia, Quaternary 138(1-4) 139-149
New Caledonia, Quaternary 142(1-2) 1-21
Northern Territory Australia, Cretaceous 138(1-4) 115-138
Norway, Quaternary 143(1-3) 159-177
Scandinavia, stratigraphy 141(1-2) 67-83
Scotland, Quaternary 140(1-4) 23-31
Spain, Miocene 140(1-4) 217-243
stratigraphy 141(1-2) 174-175
Sweden, stratigraphy 140(1-4) 347-356
Switzerland, Quaternary 140(1-4) 51-73; 140(1-4) 307-323
United States, Holocene 141(1-2) 123-138
Utah, Quaternary 138(1-4) 175-185
climatic orbital forcing *see* orbital forcing
climatology, paleo- *see* paleoclimatology
CO2 *see* carbon dioxide
Coahuila Mexico
stratigraphy 142(3-4) 231-254
coal *see also* lignite
Antarctica 141(1-2) 35-51
Coccolithophoraceae
Atlantic Ocean, Quaternary 135(1-4) 71-96
Coelenterata
New Zealand, stratigraphy 136(1-4) 97-119
Scleractinia, France 139(3-4) 139-175
colloquia *see* symposia
Colombia *see also* Amazon Basin; Llanos
Miocene, Amazonas Colombia 141(1-2) 85-93
Colorado *see* Raton Basin
Commonwealth of Independent States *see* Kazakhstan; Russian Federation; Ukraine; Urals
Conchostraca *see* Branchiopoda
concretions
Alberta, stratigraphy 143(1-3) 87-110
Ukraine, Quaternary 143(1-3) 111-133
conferences *see* symposia
Congo
Quaternary 136(1-4) 213-229
Congo River
Quaternary 138(1-4) 17-26
Coniferales *see also* Picea; Pinaceae
Austria, stratigraphy 143(4) 307-343
Connecticut *see also* Hartford Basin
Jurassic, Hartford County Connecticut 140(1-4) 161-184
Conodonta
Australasia, paleomagnetism 143(4) 199-211
Neogondolella, China 143(4) 213-226
Constance Lake *see* Lake Constance
continental drift *see also* Gondwana
China, Permian 142(1-2) 23-31
Greenland, stratigraphy 140(1-4) 135-159
continental margin
Antarctic Ocean, Quaternary 139(3-4) 195-211
continental margin sedimentation
China, Triassic 143(4) 293-305
continental migration *see* continental drift
continental shelf
Antarctic Ocean, stratigraphy 139(3-4) 213-231
continental slope
Chile, Quaternary 141(3-4) 233-251
continental terrace *see* continental shelf
Contusotuncana contusa
Invertebrata 138(1-4) 1-15
coprolites
Mexico 142(3-4) 231-254
coral reefs *see* reefs
Crenella
stratigraphy 136(1-4) 97-119
Cretaceous
137(3-4) 205-271; 142(1-2) 85-86; 142(3-4) 123-138
Albian
Alberta 143(1-3) 87-110
Switzerland 137(3-4) 189-203
Aptian
Antarctica 141(3-4) 215-232
Brazil 142(3-4) 175-184
Switzerland 137(3-4) 189-203
Atlantic Ocean 138(1-4) 1-15
Barremian, Europe 140(1-4) 245-269
Campanian
Mexico 142(3-4) 231-254
New Zealand 136(1-4) 97-119
Cenomanian
England 137(1-2) 103-125
Europe 136(1-4) 165-197
France 137(1-2) 103-125
Hauterivian
Europe 140(1-4) 245-269
Switzerland 137(3-4) 189-203
India 137(1-2) 153-172
Iran 143(1-3) 191-192

K-T boundary
Atlantic Ocean 142(1-2) 87-88
New Zealand 136(1-4) 97-119
Scandinavia 141(1-2) 67-83
Spain 141(1-2) 1-12
Western Interior 136(1-4) 145-164
Maestrichtian
Italy 139(3-4) 177-193
Libya 141(1-2) 168-170
New Zealand 136(1-4) 97-119
Spain 141(3-4) 303-328
Mediterranean Sea 138(1-4) 305-323
Northern Territory Australia 138(1-4) 115-138
Sweden 140(1-4) 347-356
Turkey 143(1-3) 191-192
Valanginian
France 135(1-4) 145-155
Switzerland 137(3-4) 189-203
Cretaceous-Tertiary boundary *see* K-T boundary
Cricetidae *see* Neotoma
Croatia
stratigraphy 140(1-4) 245-269
Crocodilia
stratigraphy 137(3-4) 205-271
cross-bedding
Antarctica 141(1-2) 35-51
Crustacea *see* Branchiopoda; Ostracoda
currents *see* ocean currents
Cutch India *see* Kutch India
Cycadales
Austria, stratigraphy 143(4) 307-343
Cynognathus
stratigraphy 143(4) 345-382
Cyprideis
Italy, Quaternary 140(1-4) 325-333
Cyprideis torosa
Quaternary 140(1-4) 325-333
Cytheracea *see* Cyprideis
Cytherocopina *see* Cytheracea
Czech Republic *see* Barrandian Basin; Bohemia
Dacryoconarida
Europe 138(1-4) 69-83
Dactylioceras tenuicostatum Zone
stratigraphy 142(1-2) 33-50
data bases
France, stratigraphy 141(3-4) 199-214
Mediterranean region, Jurassic 137(1-2) 127-151
stratigraphy 137(3-4) 205-271
death assemblages *see* thanatocenoses
Deccan Intertrappean Series *see* Intertrappean Beds
Deccan Plateau
Vertebrata 137(1-2) 153-172
decollement
United Kingdom, petroleum 140(1-4) 121-134
United States, petroleum 140(1-4) 121-134
Deep Sea Drilling Project *see also* IPOD; Leg 29; Leg 39; Leg 43
Pliocene 142(1-2) 88-89
Quaternary 138(1-4) 187-206
deforestation
Africa, stratigraphy 139(1-2) 1-14
deformation *see* decollement
deglaciation
Argentina, Quaternary 141(3-4) 277-301
Atlantic Ocean, Quaternary 142(3-4) 217-230
Germany, Quaternary 140(1-4) 421-432
Quaternary 139(1-2) 101-102
Russian Federation, Quaternary 140(1-4) 113-119
Switzerland, Quaternary 140(1-4) 307-323
Dekkan Plateau *see* Deccan Plateau
dendrochronology *see* tree rings
Denmark *see also* Jutland
stratigraphy, Stevns Klint 141(1-2) 67-83
denudation
Hungary, Quaternary 140(1-4) 7-21
deserts
Botswana, Quaternary 137(3-4) 305-322
Oman, Quaternary 137(3-4) 289-303
Zimbabwe, Quaternary 137(3-4) 305-322
detachment *see* decollement
detrital fan *see* alluvial fans
detrital sedimentation
Switzerland, Quaternary 140(1-4) 33-50; 140(1-4) 51-73
Devonian
142(1-2) 85-86
Canada 142(3-4) 185-200
Famennian 141(3-4) 177-198
Frasnian 141(3-4) 177-198
Pragian, Europe 138(1-4) 69-83
United Kingdom 140(1-4) 121-134
United States 140(1-4) 121-134; 142(3-4) 185-200
diachronism
Italy, paleomagnetism 139(3-4) 177-193
diagenesis
Colombia, Miocene 141(1-2) 85-93
Connecticut, Jurassic 140(1-4) 161-184
Europe, stratigraphy 140(1-4) 245-269
Germany, Eocene 140(1-4) 289-305
South Africa, Quaternary 136(1-4) 121-137
Spain, paleomagnetism 141(3-4) 303-328
diamictite
Africa, Cambrian 139(3-4) 107-120
Antarctic Ocean, stratigraphy 139(3-4) 213-231
diapirism
Spain, Miocene 140(1-4) 217-243
Diapsida *see* Archosauria
diatoms
China, Quaternary 138(1-4) 151-173
Hong Kong, Quaternary 138(1-4) 151-173
Switzerland, Quaternary 140(1-4) 51-73; 140(1-4) 307-323
Dibranchiata *see* Belemnoidea
Dicotyledoneae *see also* Nothofagus; Quercus; Ulmaceae
Malaysia 139(1-2) 83-100
Dicynodontia *see* Lystrosaurus
diffusion 140(1-4) 441-457
dikes
Namibia, Jurassic 140(1-4) 185-215
South Africa, Jurassic 140(1-4) 185-215
Dinantian
Ireland 139(3-4) 121-138
Dinoflagellata
Atlantic Ocean, Quaternary 138(1-4) 187-206; 142(1-2) 51-84
Norway, Quaternary 143(1-3) 159-177
Scandinavia, stratigraphy 141(1-2) 67-83
dinosaur nests *see* nests
dinosaurs *see* Ornithischia; Saurischia
Diptera *see* Chironomidae
disconformities *see* erosional unconformities
Disko Island
Paleocene 140(1-4) 271-287
displacement theory *see* continental drift
Dolomites
stratigraphy 138(1-4) 85-113
drainage basins
Hungary, Quaternary 140(1-4) 7-21
drainage patterns
Idaho, Quaternary 141(1-2) 95-114
Drakensberg Group
Jurassic 140(1-4) 185-215
Drome France
stratigraphy 135(1-4) 145-155
dropstone *see* argillite
dry delta *see* alluvial fans
DSDP *see* Deep Sea Drilling Project
DSDP Site 356
Invertebrata 138(1-4) 1-15
DSDP Site 384
Invertebrata 138(1-4) 1-15
DSDP Site 516
Invertebrata 138(1-4) 1-15
DSDP Site 525
Invertebrata 138(1-4) 1-15
DSDP Site 527
Invertebrata 138(1-4) 1-15
dunes *see also* eolian features
Botswana, Quaternary 137(3-4) 305-322
Oman, Quaternary 137(3-4) 289-303
Zimbabwe, Quaternary 137(3-4) 305-322
Dutch East Indies *see* Indonesia
dykes *see* dikes
East Africa *see* Lake Malawi
East African Lakes *see also* Lake Albert; Lake Malawi; Lake Tanganyika
Quaternary 140(1-4) 7-21
East European Platform *see* Russian Platform
East Pacific *see* Northeast Pacific
Eastern Alps *see* Dolomites; Northern Limestone Alps
Eburnean Orogeny *see* Pan-African Orogeny

Eburneopecten freneixae
stratigraphy 136(1-4) 97-119
Echinodermata
Austria, Triassic 136(1-4) 79-95
New Zealand, stratigraphy 136(1-4) 97-119
Eckfeld Maar
Eocene 140(1-4) 289-305
ecology
Atlantic Ocean, Quaternary 142(1-2) 51-84
Germany 140(1-4) 85-96
Mexico, Invertebrata 136(1-4) 67-78
Queensland Australia, geomorphology 135(1-4) 123-144
economic geology *see* bauxite; bitumens; coal; hematite; lignite; oil shale; petroleum; shale
ecoulement *see* gravity sliding
Ectoprocta *see* Bryozoa
Eemian
Denmark 138(1-4) 245-258
France 143(1-3) 73-85
Poland 143(1-3) 73-85
eggstone *see* oolite
Egypt
Paleocene 137(1-2) 79-101
Eifel
Eocene 140(1-4) 289-305
El Kef Tunisia
stratigraphy 141(1-2) 67-83
El Nino
New Zealand, Quaternary 139(1-2) 37-58
electrical logging
China, Quaternary 140(1-4) 459-473
Elephantidae *see* Mammuthus
Elephantoidea *see* Elephantidae
enamel
Reptilia 139(1-2) 102-104
Endopterygota *see* Diptera
engineering geology *see* geologic hazards
England
stratigraphy, Folkestone England 137(1-2) 103-125
entrainment *see* transport
environmental effects
Africa, stratigraphy 139(1-2) 1-14
environmental geology *see* ecology; geologic hazards; pollution
Eocene
Antarctic Ocean 139(3-4) 213-231
Australia 136(1-4) 19-40
Germany 140(1-4) 289-305
Indonesia 136(1-4) 19-40
Northwest Territories 141(1-2) 115-122
Pakistan 142(3-4) 201-216
Eogene *see* Paleogene
eolian features *see also* deserts
Namibia, Quaternary 138(1-4) 139-149
epeirophoresis theory *see* continental drift
Equus Cave
Quaternary 136(1-4) 121-137
erosion *see also* fires
New South Wales Australia, stratigraphy 136(1-4) 1-17
New Zealand, Quaternary 139(1-2) 37-58
erosional unconformities
Alberta, Quaternary 140(1-4) 75-83
Estonia
Quaternary 141(1-2) 165-166
Eurasia
Mammalia 139(1-2) 104-105
paleomagnetism 143(4) 273-283
stratigraphy 141(1-2) 1-12
Eureka Sound Group
sedimentation 141(1-2) 115-122
Europe *see also* Alps; Baltic region; Central Europe; Southern Europe; Ukraine; Western Europe
Invertebrata, Barrandian Basin 138(1-4) 69-83
paleomagnetism
European Platform 143(4) 273-283
Moscow Basin 143(4) 273-283
Quaternary
Jutland 138(1-4) 245-258
Lake Constance 140(1-4) 421-432
Lake Geneva 140(1-4) 51-73
Lake Ladoga 140(1-4) 113-119
Rhine River 140(1-4) 421-432
stratigraphy
Bohemia 136(1-4) 165-197
Croatia 140(1-4) 245-269
Istria 140(1-4) 245-269
Lower Rhine Basin 136(1-4) 331-358
Northern Limestone Alps 143(4) 307-343
Vertebrata 137(3-4) 273-288; 141(1-2) 13-34
European Platform
paleomagnetism 143(4) 273-283
eustacy
Africa, Cambrian 139(3-4) 107-120
Italy, stratigraphy 135(1-4) 163-177
Kentucky, Ordovician 138(1-4) 27-42
Northern Territory Australia, Cretaceous 138(1-4) 115-138
stratigraphy 141(3-4) 177-198
Virginia, Ordovician 138(1-4) 27-42
Eutheria *see* Perissodactyla; Primates; Proboscidea; Rodentia
evaporites *see also* gypsum
Africa, Cambrian 139(3-4) 107-120
Exopterygota *see* Isoptera
extension tectonics
Namibia, Jurassic 140(1-4) 185-215
South Africa, Jurassic 140(1-4) 185-215
Famennian 141(3-4) 177-198
Far East *see* Burma; China; Indonesia; Japan; Malaysia; Mongolia; Vietnam
faults *see also* grabens; half grabens
Iran, petroleum 143(1-3) 191-192
normal faults, Spain 140(1-4) 217-243
Turkey, petroleum 143(1-3) 191-192
Fe *see* iron
features, eolian *see* eolian features
features, fluvial *see* fluvial features
feeding ground *see* drainage basins
fine-grained materials
Alberta, Quaternary 139(3-4) 233-249
fires
Africa, stratigraphy 139(1-2) 1-14
Ireland, stratigraphy 139(3-4) 121-138
Malay Archipelago, Quaternary 137(1-2) 1-24
New Caledonia, Quaternary 142(1-2) 1-21
New Guinea, Quaternary 137(1-2) 1-24
first occurrence
stratigraphy 142(1-2) 85-86
Fleming Fjord Formation
stratigraphy 140(1-4) 135-159
flood basalts
Namibia, Jurassic 140(1-4) 185-215
South Africa, Jurassic 140(1-4) 185-215
fluid inclusions *see* geologic thermometry
fluvial environment *see* fluviolacustrine environment
fluvial features *see* alluvial fans
fluvial sedimentation *see also* fluviolacustrine sedimentation
Atlantic Ocean, Quaternary 138(1-4) 17-26
fluvial transport *see* stream transport
fluviolacustrine environment
China, stratigraphy 135(1-4) 27-39
fluviolacustrine sedimentation
Germany, Quaternary 140(1-4) 421-432
Folkestone England
stratigraphy 137(1-2) 103-125
Foraminifera *see also* Rotaliina
Atlantic Ocean 138(1-4) 1-15; 142(1-2) 87-88
Quaternary 135(1-4) 71-96
Australia, stratigraphy 136(1-4) 19-40
Brazil, stratigraphy 142(3-4) 175-184
Caribbean Sea, Pliocene 142(1-2) 88-89
China, Quaternary 138(1-4) 151-173
Egypt, Paleocene 137(1-2) 79-101
England, stratigraphy 137(1-2) 103-125
France, stratigraphy 137(1-2) 103-125
Greenland, Miocene 135(1-4) 109-121
Hong Kong, Quaternary 138(1-4) 151-173
Indonesia, stratigraphy 136(1-4) 19-40
Italy
paleomagnetism 139(3-4) 177-193
Quaternary 136(1-4) 41-52
stratigraphy 135(1-4) 1-25; 138(1-4) 85-113
Japan Sea, Quaternary 135(1-4) 51-69
Libya, areal geology 141(1-2) 168-170
New Zealand, Oligocene 138(1-4) 43-68
Pacific Ocean
Paleocene 141(1-2) 139-161
Quaternary 137(1-2) 55-77
Switzerland, paleomagnetism 137(3-4) 189-203
Tyrrhenian Sea, Quaternary 135(1-4) 97-108
foreland basins
Africa, Cambrian 139(3-4) 107-120
France, sedimentary petrology 141(1-2) 170-171
Papua New Guinea, Pliocene 139(1-2) 59-82
Spain, sedimentary petrology 141(1-2) 170-171
fossil Lagerstatten *see* Lagerstatten

fossil localities
Trilobita 143(1-3) 193-194
fossil resins *see* resins
fossil soils *see* Paleosols
fossil wood
France, stratigraphy 141(3-4) 199-214
Malaysia, Quaternary 139(1-2) 83-100
Quaternary 139(1-2) 15-36
framework silicates *see* silica minerals
France
Quaternary 143(1-3) 73-85
Alpes-de-Haute Provence France 136(1-4) 231-258
sedimentary petrology 141(1-2) 170-171
stratigraphy 141(3-4) 199-214
Ardennes France 139(3-4) 139-175
Causses 143(1-3) 135-158
Drome France 135(1-4) 145-155
Franche-Comte 143(1-3) 135-158
Paris Basin 137(1-2) 103-125; 139(3-4) 139-175
Quercy 143(1-3) 179-190
Vocontian Trough 135(1-4) 145-155
Franche-Comte
stratigraphy 143(1-3) 135-158
Franklin County Idaho
Quaternary 141(1-2) 95-114
Franklin District Northwest Territories *see* Arctic Archipelago; Queen Elizabeth Islands
Frasnian 141(3-4) 177-198
FTIR spectra
geochemistry 138(1-4) 259-269
functional morphology
Reptilia 139(1-2) 102-104
fungi
stratigraphy 143(4) 227-272
gamma-ray spectroscopy
Quaternary 137(3-4) 305-322
Gastropoda
Europe, stratigraphy 140(1-4) 245-269
Mexico 136(1-4) 67-78
New Zealand, stratigraphy 136(1-4) 97-119
Spain, Miocene 140(1-4) 217-243
general circulation models
Cretaceous 142(3-4) 123-138
Geneva Switzerland
Quaternary 140(1-4) 51-73
geoarchaeology *see* archaeology
geochemical cycle *see* carbon cycle
geochronology *see* absolute age; Cambrian; Carboniferous; Cenozoic; Cretaceous; Devonian; Eocene; Holocene; Jurassic; Mesozoic; Miocene; Mississippian; Neogene; Oligocene; Ordovician; Paleocene; Paleogene; Permian; Phanerozoic; Pleistocene; Pliocene; Proterozoic; Quaternary; Tertiary; Triassic
geologic hazards *see* fires
geologic thermometry
United Kingdom, petroleum 140(1-4) 121-134
United States, petroleum 140(1-4) 121-134
geomorphology *see* eolian features; fluvial features; glacial geology; mass movements; sea-level changes; weathering
geophysical methods
seismic methods, Quaternary 140(1-4) 401-420
geophysical profiles *see* seismic profiles
geophysical surveys *see* seismic methods
geotectonics *see* tectonics
geothermometry *see* geologic thermometry
German Southwest Africa *see* Namibia
Germany *see also* Lower Rhine Basin; Zechstein
environmental geology 140(1-4) 85-96
Eocene, Eifel 140(1-4) 289-305
Miocene 142(3-4) 107-121
Quaternary, Baden-Wurttemberg Germany 140(1-4) 421-432
Vertebrata 143(1-3) 1-29
Ghazij Formation
stratigraphy 142(3-4) 201-216
gibbsite
Australia, stratigraphy 142(3-4) 255-258
Gigantopteridaceae
Permian 142(3-4) 139-173
Ginkgoales
Austria, stratigraphy 143(4) 307-343
glacial geology *see* ancient ice ages; ice movement; late-glacial environment
glacial maximum, last *see* last glacial maximum
glaciation *see also* deglaciation; ice movement; late-glacial environment
China 135(1-4) 27-39
Greenland, Miocene 135(1-4) 109-121
Japan Sea, Quaternary 135(1-4) 41-50
Malay Archipelago, Quaternary 137(1-2) 1-24
New Guinea, Quaternary 137(1-2) 1-24
glaciers *see* rock glaciers
glaciology *see* glacial geology
gliding (tectonics) *see* gravity sliding
global circulation models *see* general circulation models
global warming
stratigraphy 143(4) 227-272
Globigerinacea *see* Neogloboquadrina pachyderma
Gondwana
Africa, Cambrian 139(3-4) 107-120
Antarctica, sedimentary petrology 141(1-2) 35-51
Kentucky, Ordovician 138(1-4) 27-42
Namibia, Jurassic 140(1-4) 185-215
South Africa, Jurassic 140(1-4) 185-215
Spain, stratigraphy 141(1-2) 1-12
stratigraphy 141(3-4) 177-198
Virginia, Ordovician 138(1-4) 27-42
grabens *see* half grabens
graded bedding
Germany, Eocene 140(1-4) 289-305
Graptolithina
Mauritania, stratigraphy 142(3-4) 91-105
gravity faults *see* normal faults
gravity sliding
United Kingdom, petroleum 140(1-4) 121-134
United States, petroleum 140(1-4) 121-134
Great American Biotic Interchange
Pliocene 135(1-4) 157-162
Great Britain *see* England; Scotland
Great Lakes
Quaternary, Lake Erie 138(1-4) 271-303
Great Plains *see also* Kansas; Nebraska
Quaternary 139(3-4) 233-249
Great Salt Lake
Quaternary 138(1-4) 175-185
green algae *see* Chlorophyta
greenhouse effect
Africa, stratigraphy 139(1-2) 1-14
Cretaceous 142(3-4) 123-138
Kentucky, Ordovician 138(1-4) 27-42
Virginia, Ordovician 138(1-4) 27-42
Greenland
Miocene 135(1-4) 109-121
Paleocene, Disko Island 140(1-4) 271-287
paleomagnetism 143(4) 199-211
stratigraphy, Jameson Land 140(1-4) 135-159
Griesbachian
stratigraphy 143(4) 213-226
Guadalupian 143(4) 227-272
Gubbio Italy
paleomagnetism 139(3-4) 177-193
Guizhou China
Triassic 143(4) 293-305
Gujarat India *see* Kutch India
Gulf of California
Invertebrata 136(1-4) 67-78
Gulf of Gascony *see* Bay of Biscay
Gymnodinium catenatum
Quaternary 143(1-3) 159-177
Gymnospermae *see also* Coniferales; Cycadales; Ginkgoales
France, stratigraphy 141(3-4) 199-214
gypsum
Spain, sedimentary petrology 140(1-4) 383-399
gyttja
Scotland, Quaternary 140(1-4) 23-31
Haeapugua Basin
Quaternary 137(1-2) 1-24
half grabens
Namibia, Jurassic 140(1-4) 185-215
New Zealand, stratigraphy 136(1-4) 97-119
Russian Federation, Quaternary 140(1-4) 401-420
South Africa, Jurassic 140(1-4) 185-215
United Kingdom, petroleum 140(1-4) 121-134
United States, petroleum 140(1-4) 121-134
Hartford Basin
Jurassic 140(1-4) 161-184
petroleum 140(1-4) 121-134
Hartford County Connecticut
Jurassic 140(1-4) 161-184
Hauterivian
Europe 140(1-4) 245-269
Switzerland 137(3-4) 189-203

hazards, geologic *see* geologic hazards
Heinrich events
New South Wales Australia, stratigraphy 136(1-4) 1-17
hematite
United Kingdom, Quaternary 137(1-2) 25-54
herbivorous taxa
Mexico, stratigraphy 142(3-4) 231-254
Texas, Permian 142(3-4) 139-173
heterochrony *see* diachronism
Heterostegina
India, stratigraphy 136(1-4) 53-65
Hettangian
Austria 136(1-4) 79-95
Hexacorallia *see* Scleractinia
High Plains *see* Great Plains
Hirnantian
Mauritania 142(3-4) 91-105
Holocene
139(1-2) 15-36; 139(1-2) 101-102
Africa 136(1-4) 259-279
Alberta 139(3-4) 233-249; 140(1-4) 75-83
Argentina 138(1-4) 207-219; 141(3-4) 277-301
Arizona 141(3-4) 253-275
Atlantic Ocean 142(1-2) 51-84
Australia 142(3-4) 255-258
Bolivia 143(1-3) 51-72
British Columbia 141(1-2) 123-138
Colombia 139(3-4) 251-267
Congo 136(1-4) 213-229
France 136(1-4) 231-258
Germany 140(1-4) 85-96; 140(1-4) 421-432
Great Lakes 138(1-4) 271-303
Italy 136(1-4) 41-52; 137(1-2) 173-187
Japan Sea 135(1-4) 41-50
Kazakhstan 136(1-4) 281-292
Malay Archipelago 137(1-2) 1-24
Malaysia 139(1-2) 83-100
Namibia 138(1-4) 139-149
Neoglacial, Norway 143(1-3) 159-177
New Guinea 137(1-2) 1-24
New Zealand 139(1-2) 37-58
Oman 137(3-4) 289-303
Pacific Ocean 137(1-2) 55-77
Russian Federation 140(1-4) 113-119
Scotland 140(1-4) 23-31
Senegal 136(1-4) 213-229
Switzerland 140(1-4) 33-50; 140(1-4) 307-323
Tyrrhenian Sea 135(1-4) 97-108
Ukraine 143(1-3) 111-133
United Kingdom 137(1-2) 25-54
United States 141(1-2) 123-138
Hong Kong
Quaternary 138(1-4) 151-173
Honshu *see* Kyoto Japan
hornstone *see* chert
Hrvatska Republika *see* Croatia
Huangtu Plateau *see* Loess Plateau
Hungary
Quaternary, Lake Balaton 140(1-4) 7-21
hyaloclastite
Greenland, Paleocene 140(1-4) 271-287
hydrargillite *see* gibbsite
hydrocarbons *see* aliphatic hydrocarbons
hydrology *see also* atmospheric precipitation; limnology
Botswana, Quaternary 137(3-4) 305-322
Zimbabwe, Quaternary 137(3-4) 305-322
Iberian Mountains
stratigraphy 136(1-4) 309-330
Iberian Peninsula *see* Spain
ice movement
Antarctic Ocean, stratigraphy 139(3-4) 213-231
ice rafting *see* Heinrich events
ice-rafting *see* ice rafting
icebergs
New South Wales Australia, stratigraphy 136(1-4) 1-17
ichnofacies
Argentina, Permian 138(1-4) 221-243
sedimentary petrology 140(1-4) 367-382
ichnofossils *see also* burrows; lebensspuren; tracks
141(1-2) 166
Argentina 136(1-4) 139-144
New Zealand, stratigraphy 136(1-4) 97-119
Skolithos, sedimentary petrology 140(1-4) 367-382
Idaho
Quaternary
Bear Lake County Idaho 141(1-2) 95-114
Caribou County Idaho 141(1-2) 95-114
Franklin County Idaho 141(1-2) 95-114
Igdabatis
stratigraphy 141(1-2) 1-12
igneous rocks
flood basalts
Namibia 140(1-4) 185-215
South Africa 140(1-4) 185-215
hyaloclastite, Greenland 140(1-4) 271-287
pyroclastics
Malay Archipelago 137(1-2) 1-24
New Guinea 137(1-2) 1-24
illite
Antarctic Ocean, stratigraphy 139(3-4) 213-231
inclusions *see* fluid inclusions
India
stratigraphy, Kutch India 136(1-4) 53-65
Vertebrata, Deccan Plateau 137(1-2) 153-172
Indian Ocean *see also* Arabian Sea
Cretaceous, Timor Sea 138(1-4) 115-138
Quaternary 136(1-4) 359-373
stratigraphy 136(1-4) 19-40
Indian Peninsula *see* India; Pakistan
Indonesia
stratigraphy 136(1-4) 19-40
infrared spectra *see* FTIR spectra
inner transition elements *see* rare earths
Inoceramidae
Italy, paleomagnetism 139(3-4) 177-193
Spain, paleomagnetism 141(3-4) 303-328
Insecta
Alaska, Quaternary 136(1-4) 293-308
Chironomidae
British Columbia 141(1-2) 123-138
United States 141(1-2) 123-138
Isoptera, Argentina 136(1-4) 139-144
Texas, Permian 142(3-4) 139-173
Intertrappean Beds
Vertebrata 137(1-2) 153-172
intrusions
dikes
Namibia 140(1-4) 185-215
South Africa 140(1-4) 185-215
inversion tectonics
United Kingdom, petroleum 140(1-4) 121-134
United States, petroleum 140(1-4) 121-134
Invertebrata *see also* Arthropoda; Brachiopoda; Bryozoa; Coelenterata; Echinodermata; Mollusca; Porifera; Protista
Annelida, New Zealand 136(1-4) 97-119
IPOD *see* Leg 72; Leg 74; Leg 90
Iran
petroleum 143(1-3) 191-192
Ireland
stratigraphy, Mayo Ireland 139(3-4) 121-138
iron
United Kingdom, Quaternary 137(1-2) 25-54
Isoptera
Argentina 136(1-4) 139-144
isostatic rebound
Africa, Cambrian 139(3-4) 107-120
isotope fractionation
Japan Sea, Quaternary 135(1-4) 41-50
isotopes *see also* carbon; oxygen
C-13/C-12
Africa 136(1-4) 259-279
Australasia 143(4) 199-211
Austria 136(1-4) 79-95
Colombia 141(1-2) 85-93
Egypt 137(1-2) 79-101
Europe 138(1-4) 69-83; 140(1-4) 245-269
geochemistry 138(1-4) 259-269
Germany 136(1-4) 331-358
Great Lakes 138(1-4) 271-303
Italy 139(3-4) 177-193
Japan Sea 135(1-4) 41-50
New Zealand 138(1-4) 43-68
Pacific Ocean 141(1-2) 139-161
South Africa 136(1-4) 121-137
Spain 141(3-4) 303-328
Switzerland 137(3-4) 189-203; 140(1-4) 33-50; 140(1-4) 51-73
C-14
Africa 136(1-4) 259-279
Alaska 136(1-4) 293-308
Alberta 139(3-4) 233-249; 140(1-4) 75-83
Argentina 138(1-4) 207-219
Arizona 141(3-4) 253-275

Atlantic Ocean 142(3-4) 217-230
Bolivia 143(1-3) 51-72
Chile 141(3-4) 233-251
Colombia 139(3-4) 251-267
Germany 140(1-4) 421-432
Great Lakes 138(1-4) 271-303
Idaho 141(1-2) 95-114
Italy 140(1-4) 97-111
Malay Archipelago 137(1-2) 1-24
New Guinea 137(1-2) 1-24
New Zealand 139(1-2) 37-58
Quaternary 139(1-2) 15-36
Scotland 140(1-4) 23-31
N-15/N-14
Japan Sea 135(1-4) 41-50
South Africa 136(1-4) 121-137
Nd-144/Nd-143, Germany 142(3-4) 107-121
O-18/O-16
Atlantic Ocean 135(1-4) 71-96; 138(1-4) 187-206
Austria 136(1-4) 79-95
Chile 141(3-4) 233-251
Denmark 138(1-4) 245-258
Egypt 137(1-2) 79-101
Europe 138(1-4) 69-83; 140(1-4) 245-269
geochemistry 138(1-4) 259-269
Germany 142(3-4) 107-121
Great Lakes 138(1-4) 271-303
Japan Sea 135(1-4) 51-69
New Zealand 138(1-4) 43-68
South Africa 136(1-4) 121-137
Spain 141(3-4) 303-328
stratigraphy 137(3-4) 205-271
Switzerland 140(1-4) 33-50; 140(1-4) 51-73
Tyrrhenian Sea 135(1-4) 97-108
Utah 138(1-4) 175-185
Sr-87/Sr-86
Atlantic Ocean 142(3-4) 217-230
Colombia 141(1-2) 85-93
Germany 142(3-4) 107-121
Idaho 141(1-2) 95-114

Istria
stratigraphy 140(1-4) 245-269

Italy *see also* Apennines
paleomagnetism
Gubbio Italy 139(3-4) 177-193
Marches Italy 139(3-4) 177-193
Pleistocene, Calabria Italy 136(1-4) 375-376
Quaternary 137(1-2) 173-187
Latium Italy 140(1-4) 97-111; 140(1-4) 325-333
Umbria Italy 140(1-4) 325-333
Venice Italy 136(1-4) 41-52
stratigraphy 135(1-4) 163-177
Marches Italy 142(1-2) 33-50
Trentino-Alto Adige Italy 138(1-4) 85-113
Umbria Italy 142(1-2) 33-50

Jameson Land
stratigraphy 140(1-4) 135-159

Japan
stratigraphy
Chichibu Belt 141(1-2) 53-65
Kumamoto Japan 141(1-2) 53-65
Kyoto Japan 141(1-2) 53-65
Tokushima Japan 141(1-2) 53-65

Japan Sea
Quaternary 135(1-4) 41-50; 135(1-4) 51-69

Juniperus
Quaternary 141(3-4) 253-275

Jurassic
Argentina 140(1-4) 357-366
Bathonian, France 141(3-4) 199-214; 143(1-3) 135-158
Connecticut 140(1-4) 161-184
Hettangian, Austria 136(1-4) 79-95
Kimmeridgian, Italy 135(1-4) 163-177
Mediterranean region 137(1-2) 127-151
Namibia 140(1-4) 185-215
Oxfordian, France 139(3-4) 139-175; 141(3-4) 199-214
South Africa 140(1-4) 185-215
Sweden 140(1-4) 347-356
Tithonian, Italy 135(1-4) 163-177
United Kingdom 140(1-4) 121-134
United States 140(1-4) 121-134

Jutland
Quaternary 138(1-4) 245-258

K-T boundary
Atlantic Ocean 142(1-2) 87-88
New Zealand 136(1-4) 97-119
Scandinavia 141(1-2) 67-83
Spain 141(1-2) 1-12
Western Interior 136(1-4) 145-164
Kachchh India *see* Kutch India

Kahuitara Tuff
stratigraphy 136(1-4) 97-119

Kalahari Desert
Quaternary 137(3-4) 305-322; 138(1-4) 139-149
Kalkalpen, Nordliche *see* Northern Limestone Alps

Kalkrand Formation
Jurassic 140(1-4) 185-215

Kansas
Quaternary 136(1-4) 199-211

kaolin
Cretaceous 142(3-4) 123-138

kaolinite
Atlantic Ocean, Quaternary 142(3-4) 217-230

Karroo Basin
Jurassic 140(1-4) 185-215

Kazakhstan
Quaternary 136(1-4) 281-292
Kef Tunisia *see* El Kef Tunisia
Kent England *see* Folkestone England

Kentucky
Ordovician 138(1-4) 27-42

kerogen
Japan, stratigraphy 141(1-2) 53-65
ketones *see* alkenones

Kimmeridgian
Italy 135(1-4) 163-177
Kongo River *see* Congo River

Korycany Member
stratigraphy 136(1-4) 165-197

Kossen Formation
Triassic 136(1-4) 79-95

Kumamoto Japan
stratigraphy 141(1-2) 53-65

Kupferschiefer
Germany, stratigraphy 136(1-4) 331-358

Kutch India
stratigraphy 136(1-4) 53-65
Kweichow China *see* Guizhou China

Kyoto Japan
stratigraphy 141(1-2) 53-65
Kyushu *see* Kumamoto Japan

La Rioja Argentina
Permian 138(1-4) 221-243
lacustrine environment *see* fluviolacustrine environment

lacustrine sedimentation *see also* fluviolacustrine sedimentation
Alberta, Quaternary 140(1-4) 75-83
Hungary, Quaternary 140(1-4) 7-21
Scotland, Quaternary 140(1-4) 23-31
stratigraphy 140(1-4) 1-473
Switzerland, Quaternary 140(1-4) 33-50
lacustrine sediments *see* lake sediments

Ladinian
Africa 143(4) 345-382
Commonwealth of Independent States 143(4) 345-382

Lagerstatten
stratigraphy 142(1-2) 85-86

lagoons
Italy, Quaternary 136(1-4) 41-52

Lahillia
stratigraphy 136(1-4) 97-119

Lake Albert
Quaternary 136(1-4) 259-279

Lake Baikal
Quaternary 140(1-4) 401-420

Lake Balaton
Quaternary 140(1-4) 7-21
lake biscuits *see* algal biscuits

Lake Bonneville
Idaho 141(1-2) 95-114

Lake Constance
Quaternary 140(1-4) 421-432

Lake Erie
Quaternary 138(1-4) 271-303

Lake Geneva
Quaternary 140(1-4) 51-73

Lake Ladoga
Quaternary 140(1-4) 113-119
Lake Leman *see* Lake Geneva

Lake Malawi
Quaternary 140(1-4) 401-420
Lake Mobutu *see* Lake Albert

lake sediments
140(1-4) 433-440
Alberta, Quaternary 140(1-4) 75-83
British Columbia, Holocene 141(1-2) 123-138

China, Quaternary 140(1-4) 459-473
Colombia, Quaternary 139(3-4) 251-267
Germany
Eocene 140(1-4) 289-305
Quaternary 140(1-4) 421-432
Hungary, Quaternary 140(1-4) 7-21
New Caledonia, Quaternary 142(1-2) 1-21
New Zealand, Quaternary 139(1-2) 37-58
Poland, Quaternary 140(1-4) 335-345
Russian Federation, Quaternary 140(1-4) 113-119
Scotland, Quaternary 140(1-4) 23-31
stratigraphy 140(1-4) 1-473
Switzerland, Quaternary 140(1-4) 33-50; 140(1-4) 51-73; 140(1-4) 307-323
United States, Holocene 141(1-2) 123-138
Lake Tanganyika
Quaternary 140(1-4) 401-420
Lake Titicaca
Quaternary 143(1-3) 51-72
lake-level changes
Alberta, Quaternary 140(1-4) 75-83
Bolivia, Quaternary 143(1-3) 51-72
France, Quaternary 136(1-4) 231-258
Greenland, Paleocene 140(1-4) 271-287
Idaho, Quaternary 141(1-2) 95-114
Russian Federation, Quaternary 140(1-4) 113-119; 140(1-4) 401-420
Lamellibranchiata *see* Bivalvia
laminations
Argentina, Jurassic 140(1-4) 357-366
Germany
Eocene 140(1-4) 289-305
Quaternary 140(1-4) 421-432
Scotland, Quaternary 140(1-4) 23-31
Spain, Miocene 140(1-4) 217-243
land bridges
Alaska, Quaternary 136(1-4) 293-308
land use
Malay Archipelago, Quaternary 137(1-2) 1-24
New Guinea, Quaternary 137(1-2) 1-24
lanthanoans *see* rare earths
last glacial maximum
Botswana, Quaternary 137(3-4) 305-322
Chile, Quaternary 141(3-4) 233-251
Zimbabwe, Quaternary 137(3-4) 305-322
late-glacial environment
Argentina, Quaternary 141(3-4) 277-301
British Columbia, Holocene 141(1-2) 123-138
Germany, Quaternary 140(1-4) 421-432
Kazakhstan, Quaternary 136(1-4) 281-292
stratigraphy 141(1-2) 174-175
Switzerland, Quaternary 140(1-4) 307-323
United States, Holocene 141(1-2) 123-138
laterites
New Caledonia, Quaternary 142(1-2) 1-21
latitude, paleo- *see* paleolatitude
Latium Italy
Quaternary 140(1-4) 97-111; 140(1-4) 325-333
Laurussia
stratigraphy 141(3-4) 177-198
leaf-area index
Northwest Territories, sedimentation 141(1-2) 115-122
lebensspuren *see also* burrows
140(1-4) 367-382
Argentina, Permian 138(1-4) 221-243
Leeuwin Current
stratigraphy 136(1-4) 19-40
Leg 29
Oligocene 138(1-4) 43-68
Leg 39 *see* DSDP Site 356
Leg 43 *see* DSDP Site 384
Leg 72 *see* DSDP Site 516
Leg 74 *see* DSDP Site 525; DSDP Site 527
Leg 90
Oligocene 138(1-4) 43-68
Leg 143 *see* ODP Site 865
Leg 152 *see* ODP Site 918
lehm *see* loess
Leman Lake *see* Lake Geneva
Lepidocyclina
India, stratigraphy 136(1-4) 53-65
Lerida Spain
stratigraphy 141(1-2) 1-12
Libya
areal geology, Sirte Basin 141(1-2) 168-170
petroleum, Sirte Basin 139(1-2) 105-106
life assemblage *see* biocenoses
life origin
paleontology 138(1-4) 327-328
lignite
Northwest Territories 141(1-2) 115-122
limestone
France, stratigraphy 135(1-4) 145-155
Italy, paleomagnetism 139(3-4) 177-193
Spain, Miocene 140(1-4) 217-243
Limestone Alps *see* Northern Limestone Alps
Limnocythere
Quaternary 140(1-4) 459-473
limnology *see also* paleolimnology
Bolivia, Quaternary 143(1-3) 51-72
liquid inclusions *see* fluid inclusions
lithostratigraphy
Antarctic Ocean 139(3-4) 213-231
Quaternary 139(3-4) 195-211
Argentina 138(1-4) 221-243
China 143(4) 293-305
Quaternary 138(1-4) 151-173
Denmark, Quaternary 138(1-4) 245-258
Europe 140(1-4) 245-269
Hong Kong, Quaternary 138(1-4) 151-173
Italy 138(1-4) 85-113
Quaternary 140(1-4) 97-111
Kentucky 138(1-4) 27-42
Northern Territory Australia 138(1-4) 115-138
Russian Federation, Quaternary 140(1-4) 113-119
Switzerland, Quaternary 140(1-4) 307-323
Virginia 138(1-4) 27-42
Little Ice Age *see* Neoglacial
Llanos
Quaternary 139(3-4) 251-267
loess
China, stratigraphy 135(1-4) 27-39
Germany, Quaternary 140(1-4) 421-432
Ukraine, Quaternary 143(1-3) 111-133
United Kingdom, Quaternary 137(1-2) 25-54
Loess Plateau
stratigraphy 135(1-4) 27-39
Lower Carboniferous *see* Dinantian
Lower Cretaceous *see* Albian; Aptian; Barremian; Hauterivian; Valanginian
Lower Devonian *see* Pragian
lower Liassic *see* Hettangian
lower Neogene *see* Miocene
lower Paleocene *see* K-T boundary
Lower Permian *see* Sakmarian
Lower Rhine Basin
stratigraphy 136(1-4) 331-358
Lower Triassic *see* Permian-Triassic boundary
Lujanian
Pliocene 135(1-4) 157-162
Lunz flora
stratigraphy 143(4) 307-343
Lunz Formation
stratigraphy 143(4) 307-343
Lystrosaurus
Africa, stratigraphy 143(4) 345-382
Commonwealth of Independent States, stratigraphy 143(4) 345-382
Mongolia, paleomagnetism 143(4) 273-283
Russian Federation, paleomagnetism 143(4) 273-283
stratigraphy 143(4) 227-272
maars
Germany, Eocene 140(1-4) 289-305
madrepores *see* Scleractinia
Maestrichtian
Italy 139(3-4) 177-193
Libya 141(1-2) 168-170
New Zealand 136(1-4) 97-119
Spain 141(3-4) 303-328
magnetic iron ore *see* magnetite
magnetic susceptibility
Germany, Quaternary 140(1-4) 421-432
Ukraine, Quaternary 143(1-3) 111-133
United Kingdom, Quaternary 137(1-2) 25-54
magnetism, paleo- *see* paleomagnetism
magnetite
United Kingdom, Quaternary 137(1-2) 25-54
magnetostratigraphy
China, Quaternary 140(1-4) 459-473
Italy, paleomagnetism 139(3-4) 177-193
Malay Archipelago *see* New Guinea
Malaysia
Quaternary 139(1-2) 83-100
Malmros Klint Member
stratigraphy 140(1-4) 135-159
Mammalia

139(1-2) 104-105
India 137(1-2) 153-172
Mammuthus, Quaternary 141(1-2) 167-168
Neotoma, Arizona 141(3-4) 253-275
Pliocene 135(1-4) 157-162
Primates 139(1-2) 102-104
Rhinocerotidae
Africa 141(1-2) 13-34
Europe 141(1-2) 13-34
Rodentia 139(1-2) 102-104
Mediterranean region 137(3-4) 273-288
Middle East 137(3-4) 273-288
Mammuthus
Quaternary 141(1-2) 167-168
Mandibulata *see* Crustacea; Insecta
Manitoba *see* Bakken Formation; Williston Basin
mantle plumes *see* superplumes
Marches Italy
paleomagnetism 139(3-4) 177-193
stratigraphy 142(1-2) 33-50
margin, continental *see* continental margin
Maricopa County Arizona
Quaternary 141(3-4) 253-275
marine sediments
Antarctic Ocean
Quaternary 139(3-4) 195-211
stratigraphy 139(3-4) 213-231
Atlantic Ocean
Invertebrata 138(1-4) 1-15
Quaternary 138(1-4) 17-26; 138(1-4) 187-206
Chile, Quaternary 141(3-4) 233-251
Pacific Ocean, Quaternary 137(1-2) 55-77
marine transport
Atlantic Ocean, Quaternary 138(1-4) 187-206
marl
France, stratigraphy 135(1-4) 145-155
Marmontaine Formation
paleomagnetism 137(3-4) 189-203
Marplatan
ichnofossils 136(1-4) 139-144
Mars
paleontology 138(1-4) 327-328
marshes *see* salt marshes
mass extinctions
Australasia, paleomagnetism 143(4) 199-211
stratigraphy 141(3-4) 177-198; 142(1-2) 85-86; 143(4) 227-272
mass movements
Atlantic Ocean, Quaternary 138(1-4) 187-206
Massachusetts *see* Hartford Basin
Mastodonsaurus
stratigraphy 143(4) 345-382
Matuyama Chron
China 140(1-4) 459-473
Ukraine 143(1-3) 111-133
Mauritania
stratigraphy 142(3-4) 91-105
Mayo Ireland
stratigraphy 139(3-4) 121-138
McMurdo Sound
stratigraphy 139(3-4) 213-231
Mediterranean region
Jurassic 137(1-2) 127-151
Vertebrata 137(3-4) 273-288
Mediterranean Sea *see also* West Mediterranean
Cretaceous 138(1-4) 305-323
meetings *see* symposia
Melaleuca argentea
geomorphology 135(1-4) 123-144
Melanesia *see* New Caledonia
Mendoza Argentina
Jurassic 140(1-4) 357-366
Mermia
sedimentary petrology 140(1-4) 367-382
Mesozoic *see also* Cretaceous; Jurassic; Triassic
140(1-4) 1-473; 140(1-4) 367-382
Newark Supergroup 140(1-4) 161-184
Messinian
Mediterranean region 137(3-4) 273-288
Middle East 137(3-4) 273-288
metals *see* actinides; alkaline earth metals; cadmium; iron; rare earths; zinc
metaturbidite *see* turbidite
methane
Africa, stratigraphy 139(1-2) 1-14
Germany, stratigraphy 136(1-4) 331-358
Mexico
Invertebrata, Sonora Mexico 136(1-4) 67-78
stratigraphy, Coahuila Mexico 142(3-4) 231-254
Mickwitzia Sandstone
ichnofossils 141(1-2) 166
microfossils *see* Charophyta; Conodonta
Microlimnocythere sinensis
Quaternary 140(1-4) 459-473
Mid-Pacific Mountains
Paleocene 141(1-2) 139-161
middens
Arizona, Quaternary 141(3-4) 253-275
Middle East *see also* Iran; Turkey
Vertebrata 137(3-4) 273-288
Middle Jurassic *see* Bathonian
Middle Triassic *see* Anisian; Ladinian
Milankovitch forcing *see* orbital forcing
Milankovitch theory
Australasia, paleomagnetism 143(4) 199-211
Oman, Quaternary 137(3-4) 289-303
Mill Creek Formation
stratigraphy 143(1-3) 87-110
mineral resins *see* resins
mineralogy *see* carbonates
Miocene
139(1-2) 104-105
Antarctic Ocean 139(3-4) 213-231
Colombia 141(1-2) 85-93
Germany 142(3-4) 107-121
Greenland 135(1-4) 109-121
India 136(1-4) 53-65
Iran 143(1-3) 191-192
Messinian
Mediterranean region 137(3-4) 273-288
Middle East 137(3-4) 273-288
South America 143(1-3) 31-50
Spain 140(1-4) 217-243
Turkey 143(1-3) 191-192
Miogypsina
India, stratigraphy 136(1-4) 53-65
miospores *see* pollen
mires *see* marshes
Mississippian
Canada 142(3-4) 185-200
United States 142(3-4) 185-200
mixtite *see* diamictite
modern analogs
stratigraphy 137(3-4) 205-271
molasse
Germany, Miocene 142(3-4) 107-121
molecular fossils *see* biomarkers
Mollusca
Ammonoidea
Australasia 143(4) 199-211
Burma 143(4) 285-291
France 135(1-4) 145-155
Italy 135(1-4) 163-177; 142(1-2) 33-50
Mediterranean Sea 138(1-4) 305-323
Mongolia 143(4) 273-283
New Zealand 136(1-4) 97-119
Russian Federation 143(4) 273-283
Vietnam 143(4) 285-291
Belemnoidea, New Zealand 136(1-4) 97-119
Bivalvia
Argentina 140(1-4) 357-366
Burma 143(4) 285-291
Colombia 141(1-2) 85-93
England 137(1-2) 103-125
France 137(1-2) 103-125
Italy 138(1-4) 85-113
Mediterranean region 137(1-2) 127-151
New Zealand 136(1-4) 97-119
Vietnam 143(4) 285-291
France
Quaternary 136(1-4) 231-258
stratigraphy 139(3-4) 139-175
Gastropoda
Europe 140(1-4) 245-269
Mexico 136(1-4) 67-78
New Zealand 136(1-4) 97-119
Spain 140(1-4) 217-243
Idaho, Quaternary 141(1-2) 95-114
Inoceramidae
Italy 139(3-4) 177-193
Spain 141(3-4) 303-328
Italy, Quaternary 140(1-4) 97-111
Japan Sea, Quaternary 135(1-4) 51-69
Nautiloidea, New Zealand 136(1-4) 97-119
Scaphopoda, New Zealand 136(1-4) 97-119
Switzerland, Quaternary 140(1-4) 307-323
Tentaculites, Europe 138(1-4) 69-83
Mongolia
paleomagnetism 143(4) 273-283

monsoons
Atlantic Ocean, Quaternary 142(1-2) 51-84
Montana *see* Bakken Formation; Williston Basin
Morozovella africana
Paleocene 141(1-2) 139-161
Morozovella allisonensis
Paleocene 141(1-2) 139-161
morphology *see* functional morphology
Moscow Basin
paleomagnetism 143(4) 273-283
movements, mass *see* mass movements
mudstone
Antarctic Ocean, stratigraphy 139(3-4) 213-231
Argentina, Jurassic 140(1-4) 357-366
Pakistan, stratigraphy 142(3-4) 201-216
Papua New Guinea, Pliocene 139(1-2) 59-82
Spain, Miocene 140(1-4) 217-243
Murcia Spain *see* Caravaca Spain
Myanmar *see* Burma
Myomorpha *see* Cricetidae
N *see* nitrogen
N-15/N-14
Japan Sea, Quaternary 135(1-4) 41-50
South Africa, Quaternary 136(1-4) 121-137
Namibia *see also* Kalahari Desert
Jurassic 140(1-4) 185-215
nannofossils
Brazil, stratigraphy 142(3-4) 175-184
Greenland, Miocene 135(1-4) 109-121
Japan Sea, Quaternary 135(1-4) 51-69
Switzerland, paleomagnetism 137(3-4) 189-203
Nautiloidea
New Zealand, stratigraphy 136(1-4) 97-119
Nd-144/Nd-143
Germany, Miocene 142(3-4) 107-121
Nebraska
Quaternary 136(1-4) 199-211
neodymium
Nd-144/Nd-143, Germany 142(3-4) 107-121
Neogene *see also* Miocene; Pliocene
France 141(1-2) 170-171
Spain 141(1-2) 170-171
Neoglacial
Norway 143(1-3) 159-177
Neogloboquadrina pachyderma
Chile, Quaternary 141(3-4) 233-251
Neogondolella
China, stratigraphy 143(4) 213-226
Neoptera *see* Endopterygota; Exopterygota
Neornithes
South Africa, Quaternary 136(1-4) 121-137
Neotoma
Arizona, Quaternary 141(3-4) 253-275
nests
Argentina, ichnofossils 136(1-4) 139-144
Netherland India *see* Indonesia
Neuquen Basin
Jurassic 140(1-4) 357-366
neutron activation analysis
Quaternary 137(3-4) 305-322
New Caledonia
Quaternary 142(1-2) 1-21
New England
petroleum 140(1-4) 121-134
New Guinea
Quaternary 137(1-2) 1-24
New Mexico *see* Raton Basin
New South Wales Australia *see* Sydney Basin
New Zealand *see also* North Island; South Island
Oligocene, Otago New Zealand 138(1-4) 43-68
Newark Supergroup 140(1-4) 161-184
Niger
Cambrian 139(3-4) 107-120
nitrogen
Germany, stratigraphy 136(1-4) 331-358
N-15/N-14
Japan Sea 135(1-4) 41-50
South Africa 136(1-4) 121-137
nivation
Denmark, Quaternary 138(1-4) 245-258
Norian
Africa 143(4) 345-382
Commonwealth of Independent States 143(4) 345-382
Germany 143(1-3) 1-29
normal faults
Spain, Miocene 140(1-4) 217-243
North Africa *see* Egypt; Libya; Tunisia
North America *see also* Appalachians; Great Lakes; Great Plains; Western Interior
paleomagnetism 143(4) 199-211
Pliocene 135(1-4) 157-162
Quaternary 139(1-2) 83-100
Sonoran Desert 141(3-4) 253-275
stratigraphy
Western Canada Basin 143(1-3) 87-110
Williston Basin 136(1-4) 145-164; 142(3-4) 185-200
Vertebrata 141(1-2) 13-34
North Atlantic *see* Bay of Biscay; Caribbean Sea; North Sea; Vema fracture zone
North Dakota *see* Bakken Formation; Williston Basin
North Island
Quaternary 139(1-2) 37-58
stratigraphy 136(1-4) 97-119
North Pacific *see* Mid-Pacific Mountains; Northeast Pacific; Northwest Pacific
North Sea
petroleum, Orcadian Basin 140(1-4) 121-134
North Vietnam *see* Vietnam
Northeast Pacific *see* Gulf of California
Northern Limestone Alps
stratigraphy 143(4) 307-343
Northern Territory Australia
Cretaceous 138(1-4) 115-138
Northwest Pacific *see* Japan Sea
Northwest Territories
sedimentation
Arctic Archipelago 141(1-2) 115-122
Axel Heiberg Island 141(1-2) 115-122
Norway
Quaternary 143(1-3) 159-177
Nothofagus
Argentina, Quaternary 141(3-4) 277-301
Nummulites *see* Operculina
Nummulitidae *see* Nummulites
O *see* oxygen
O-18/O-16
Atlantic Ocean, Quaternary 135(1-4) 71-96; 138(1-4) 187-206
Austria, Triassic 136(1-4) 79-95
Chile, Quaternary 141(3-4) 233-251
Denmark, Quaternary 138(1-4) 245-258
Egypt, Paleocene 137(1-2) 79-101
Europe
Invertebrata 138(1-4) 69-83
stratigraphy 140(1-4) 245-269
geochemistry 138(1-4) 259-269
Germany, Miocene 142(3-4) 107-121
Great Lakes, Quaternary 138(1-4) 271-303
Japan Sea, Quaternary 135(1-4) 51-69
New Zealand, Oligocene 138(1-4) 43-68
South Africa, Quaternary 136(1-4) 121-137
Spain, paleomagnetism 141(3-4) 303-328
stratigraphy 137(3-4) 205-271
Switzerland, Quaternary 140(1-4) 33-50; 140(1-4) 51-73
Tyrrhenian Sea, Quaternary 135(1-4) 97-108
Utah, Quaternary 138(1-4) 175-185
ocean circulation *see also* ocean currents
Australia, stratigraphy 136(1-4) 19-40
Botswana, Quaternary 137(3-4) 305-322
Indonesia, stratigraphy 136(1-4) 19-40
Japan Sea, Quaternary 135(1-4) 41-50
Zimbabwe, Quaternary 137(3-4) 305-322
ocean currents
Atlantic Ocean, Quaternary 138(1-4) 187-206
Japan Sea, Quaternary 135(1-4) 51-69
Ocean Drilling Program *see* Leg 143; Leg 152
Oceania *see* Melanesia
oceanography *see* continental margin; continental shelf; continental slope; ocean circulation; reefs; sedimentation; sediments
octahedral iron ore *see* magnetite
ODP Site 865
Paleocene 141(1-2) 139-161
ODP Site 918
Miocene 135(1-4) 109-121
Ogmoconcha amalthei
stratigraphy 143(1-3) 179-190
oil and gas *see* petroleum
oil shale
Germany, Eocene 140(1-4) 289-305
Olenikian
stratigraphy 143(4) 227-272; 143(4) 345-382
Oligocene
Antarctic Ocean 139(3-4) 213-231

India 136(1-4) 53-65
Iran 143(1-3) 191-192
New Zealand 138(1-4) 43-68
Turkey 143(1-3) 191-192
Oman
Quaternary 137(3-4) 289-303
Omma Formation
Quaternary 135(1-4) 51-69
oncoids
Argentina, Jurassic 140(1-4) 357-366
oncolites
Argentina, Jurassic 140(1-4) 357-366
oolite
Austria, Triassic 136(1-4) 79-95
opal
Antarctic Ocean, Quaternary 139(3-4) 195-211
Operculina
India, stratigraphy 136(1-4) 53-65
orbital forcing
Atlantic Ocean, Quaternary 138(1-4) 17-26
Chile, Quaternary 141(3-4) 233-251
Greenland, stratigraphy 140(1-4) 135-159
Orbitoidacea *see* Lepidocyclina
Orcadian Basin
petroleum 140(1-4) 121-134
Ordovician
Hirnantian, Mauritania 142(3-4) 91-105
Kentucky 138(1-4) 27-42
Virginia 138(1-4) 27-42
organic acids *see* amino acids
organic carbon
Germany
Eocene 140(1-4) 289-305
stratigraphy 136(1-4) 331-358
Japan, stratigraphy 141(1-2) 53-65
Switzerland, paleomagnetism 137(3-4) 189-203
organic compounds *see* hydrocarbons; kerogen; ketones; organic acids; sapropel; total organic carbon
organic minerals *see* amber
organic mound *see* bioherms
Ornithischia *see* Ceratopsia
orogeny *see* Alpine Orogeny
Orsted Dal Member
stratigraphy 140(1-4) 135-159
Orubadi Formation
Pliocene 139(1-2) 59-82
Ostracoda
Argentina, Jurassic 140(1-4) 357-366
Bolivia, Quaternary 143(1-3) 51-72
China, Quaternary 140(1-4) 459-473
Cyprideis, Italy 140(1-4) 325-333
Europe, stratigraphy 140(1-4) 245-269
France, stratigraphy 143(1-3) 179-190
Germany, environmental geology 140(1-4) 85-96
Italy, Quaternary 140(1-4) 97-111
Libya, areal geology 141(1-2) 168-170
Switzerland, Quaternary 140(1-4) 307-323
Otago New Zealand
Oligocene 138(1-4) 43-68
Outer Mongolia *see* Mongolia
Oxfordian
France 139(3-4) 139-175; 141(3-4) 199-214
oxides *see* gibbsite; hematite; magnetite
oxygen
geochemistry 140(1-4) 441-457
O-18/O-16
Atlantic Ocean 135(1-4) 71-96; 138(1-4) 187-206
Austria 136(1-4) 79-95
Chile 141(3-4) 233-251
Denmark 138(1-4) 245-258
Egypt 137(1-2) 79-101
Europe 138(1-4) 69-83; 140(1-4) 245-269
geochemistry 138(1-4) 259-269
Germany 142(3-4) 107-121
Great Lakes 138(1-4) 271-303
Japan Sea 135(1-4) 51-69
New Zealand 138(1-4) 43-68
South Africa 136(1-4) 121-137
Spain 141(3-4) 303-328
stratigraphy 137(3-4) 205-271
Switzerland 140(1-4) 33-50; 140(1-4) 51-73
Tyrrhenian Sea 135(1-4) 97-108
Utah 138(1-4) 175-185
P *see* phosphorus
P/T boundary (age) *see* Permian-Triassic boundary
Pachydon trigonalis
Miocene 141(1-2) 85-93
Pacific Ocean *see also* East Pacific; North Pacific; West Pacific
Oligocene 138(1-4) 43-68
Paleocene, Mid-Pacific Mountains 141(1-2) 139-161
Pliocene 142(1-2) 88-89
Quaternary 137(1-2) 55-77; 141(3-4) 233-251
stratigraphy 136(1-4) 97-119
Paganzo Basin
Permian 138(1-4) 221-243
Pais Vasco Spain *see* Basque Provinces Spain
Pakistan
stratigraphy, Sulaiman Range 142(3-4) 201-216
paleo-oceanography
143(1-3) 192-193
Africa 139(3-4) 107-120
Antarctic Ocean, Quaternary 139(3-4) 195-211
Brazil 142(3-4) 175-184
Canada 142(3-4) 185-200
Caribbean Sea 142(1-2) 88-89
Egypt 137(1-2) 79-101
England 137(1-2) 103-125
France 137(1-2) 103-125
Germany 136(1-4) 331-358; 142(3-4) 107-121
Indian Ocean 136(1-4) 359-373
Italy 139(3-4) 177-193
Japan 141(1-2) 53-65
New Zealand 138(1-4) 43-68
Pacific Ocean, Quaternary 137(1-2) 55-77
Scandinavia 141(1-2) 67-83
Tyrrhenian Sea, Quaternary 135(1-4) 97-108
United States 142(3-4) 185-200
paleobiogeography *see* biogeography
paleobotany *see also* Angiospermae; fungi; Gymnospermae; palynomorphs; Plantae
France 143(1-3) 135-158
Paleocene
Egypt 137(1-2) 79-101
Greenland 140(1-4) 271-287
K-T boundary
Atlantic Ocean 142(1-2) 87-88
New Zealand 136(1-4) 97-119
Scandinavia 141(1-2) 67-83
Spain 141(1-2) 1-12
Western Interior 136(1-4) 145-164
Pacific Ocean 141(1-2) 139-161
Pakistan 142(3-4) 201-216
paleoclimatology *see also* C-13/C-12; general circulation models; glaciation; last glacial maximum; O-18/O-16
141(1-2) 174-175; 143(4) 227-272
Africa 139(1-2) 1-14; 139(3-4) 107-120; 141(1-2) 13-34
Alberta 143(1-3) 87-110
Quaternary 139(3-4) 233-249; 140(1-4) 75-83
Antarctic Ocean, Quaternary 139(3-4) 195-211
Antarctica 141(3-4) 215-232
sedimentary petrology 141(1-2) 35-51
Argentina 136(1-4) 139-144; 138(1-4) 221-243
Quaternary 138(1-4) 207-219
Arizona, Quaternary 141(3-4) 253-275
Atlantic Ocean 138(1-4) 1-15
Quaternary 138(1-4) 17-26; 142(1-2) 51-84
Australia 136(1-4) 19-40; 142(3-4) 255-258
British Columbia 141(1-2) 123-138
Canada 142(3-4) 185-200
China, Quaternary 138(1-4) 151-173
Colombia, Quaternary 139(3-4) 251-267
Europe 141(1-2) 13-34
France 135(1-4) 145-155; 141(3-4) 199-214; 143(1-3) 135-158
Quaternary 136(1-4) 231-258; 143(1-3) 73-85
Germany 140(1-4) 289-305
Greenland 140(1-4) 135-159
Hong Kong, Quaternary 138(1-4) 151-173
India 136(1-4) 53-65
Indian Ocean 136(1-4) 359-373
Indonesia 136(1-4) 19-40
Italy 135(1-4) 1-25; 142(1-2) 33-50
Quaternary 136(1-4) 41-52; 140(1-4) 97-111
Kansas, Quaternary 136(1-4) 199-211
Kazakhstan, Quaternary 136(1-4) 281-292
Kentucky 138(1-4) 27-42
Malaysia, Quaternary 139(1-2) 83-100
Mauritania 142(3-4) 91-105
Mediterranean region 137(1-2) 127-151
Mongolia 143(4) 273-283
Namibia, Quaternary 138(1-4) 139-149
Nebraska, Quaternary 136(1-4) 199-211

New Caledonia, Quaternary 142(1-2) 1-21
New South Wales Australia 136(1-4) 1-17
New Zealand 136(1-4) 97-119
Quaternary 139(1-2) 37-58
Northern Territory Australia 138(1-4) 115-138
Northwest Territories, sedimentation 141(1-2) 115-122
Norway, Quaternary 143(1-3) 159-177
Pacific Ocean, Quaternary 137(1-2) 55-77
Papua New Guinea 139(1-2) 59-82
Poland, Quaternary 143(1-3) 73-85
Quaternary 138(1-4) 325-326; 139(1-2) 15-36
Russian Federation 143(4) 273-283
Scandinavia 141(1-2) 67-83
Scotland, Quaternary 140(1-4) 23-31
South America 143(1-3) 31-50
Spain 136(1-4) 309-330; 140(1-4) 217-243
Sweden 140(1-4) 347-356
United Kingdom, Quaternary 137(1-2) 25-54
United States 141(1-2) 123-138; 142(3-4) 185-200
Virginia 138(1-4) 27-42
Western Interior 136(1-4) 145-164

paleoecology *see also* biogeography; biologic evolution; herbivorous taxa; ichnofacies; middens; reefs
141(3-4) 177-198; 143(4) 227-272
Africa 139(1-2) 1-14
Antarctic Ocean, Quaternary 139(3-4) 195-211
Argentina 140(1-4) 357-366
Quaternary 141(3-4) 277-301
Atlantic Ocean 142(1-2) 87-88
Quaternary 142(1-2) 51-84
Austria 136(1-4) 79-95; 143(4) 307-343
Brazil 142(3-4) 175-184
British Columbia 141(1-2) 123-138
China 143(4) 293-305
Colombia, Quaternary 139(3-4) 251-267
Congo, Quaternary 136(1-4) 213-229
Egypt 137(1-2) 79-101
England 137(1-2) 103-125
France 137(1-2) 103-125; 141(3-4) 199-214; 143(1-3) 135-158
Germany 140(1-4) 289-305
India 136(1-4) 53-65
Ireland 139(3-4) 121-138
Italy 138(1-4) 85-113; 139(3-4) 177-193; 142(1-2) 33-50
Quaternary 137(1-2) 173-187; 140(1-4) 97-111; 140(1-4) 325-333
Japan 141(1-2) 53-65
Japan Sea, Quaternary 135(1-4) 41-50
Kazakhstan, Quaternary 136(1-4) 281-292
Libya 141(1-2) 168-170
Malay Archipelago, Quaternary 137(1-2) 1-24
New Caledonia, Quaternary 142(1-2) 1-21
New Guinea, Quaternary 137(1-2) 1-24
New Zealand 138(1-4) 43-68
Papua New Guinea 139(1-2) 59-82
Poland, Quaternary 140(1-4) 335-345
Quaternary 138(1-4) 325-326; 139(1-2) 15-36; 141(1-2) 167-168
Scandinavia 141(1-2) 67-83
Senegal, Quaternary 136(1-4) 213-229
South Africa 136(1-4) 121-137
South America 143(1-3) 31-50
Spain 141(3-4) 303-328
Sweden 140(1-4) 347-356
Switzerland, Quaternary 140(1-4) 307-323
United States 141(1-2) 123-138

Paleogene *see also* Eocene; Oligocene; Paleocene
France 141(1-2) 170-171
Spain 141(1-2) 170-171

paleogeography *see also* basins; biogeography; continental drift; sea-level changes; transgression
Antarctica, sedimentary petrology 141(1-2) 35-51
Austria 136(1-4) 79-95
Canada 142(3-4) 185-200
Germany 140(1-4) 289-305; 142(3-4) 107-121
Greenland 140(1-4) 271-287
Italy 135(1-4) 163-177
Pakistan 142(3-4) 201-216
Papua New Guinea 139(1-2) 59-82
Spain 136(1-4) 309-330
United States 142(3-4) 185-200

paleolatitude
Africa 139(3-4) 107-120
Mauritania 142(3-4) 91-105
Spain 141(3-4) 303-328

paleolimnology
140(1-4) 1-473
Africa, Quaternary 136(1-4) 259-279
Alberta, Quaternary 140(1-4) 75-83
China, Quaternary 140(1-4) 459-473
Connecticut 140(1-4) 161-184
Europe 140(1-4) 245-269
Germany 140(1-4) 289-305
environmental geology 140(1-4) 85-96
Quaternary 140(1-4) 421-432
Greenland 140(1-4) 135-159; 140(1-4) 271-287
Hungary, Quaternary 140(1-4) 7-21
Idaho, Quaternary 141(1-2) 95-114
Italy, Quaternary 140(1-4) 97-111
Namibia 140(1-4) 185-215
Poland, Quaternary 140(1-4) 335-345
Russian Federation, Quaternary 140(1-4) 113-119; 140(1-4) 401-420
Scotland, Quaternary 140(1-4) 23-31
sedimentary petrology 140(1-4) 367-382
sediments 140(1-4) 433-440
South Africa 140(1-4) 185-215
Spain 140(1-4) 217-243
sedimentary petrology 140(1-4) 383-399
Sweden 140(1-4) 347-356
Switzerland, Quaternary 140(1-4) 33-50; 140(1-4) 51-73; 140(1-4) 307-323

paleomagnetism *see also* magnetic susceptibility; magnetostratigraphy; paleolatitude
Australasia 143(4) 199-211
China 135(1-4) 27-39
Greenland 140(1-4) 135-159
Italy 135(1-4) 1-25
Mongolia 143(4) 273-283
Russian Federation 143(4) 273-283
Switzerland 137(3-4) 189-203

paleontology *see* Amphibia; Brachiopoda; Bryozoa; Chordata; Coelenterata; Conodonta; Echinodermata; Foraminifera; Graptolithina; ichnofossils; Insecta; Mammalia; Mollusca; Ostracoda; Pisces; Porifera; Radiolaria; Reptilia; Trilobita; Vertebrata

paleopathology
Ireland 139(3-4) 121-138

Paleorhinus
stratigraphy 143(4) 345-382

paleosalinity
Atlantic Ocean, Quaternary 142(1-2) 51-84
Colombia 141(1-2) 85-93
Germany 142(3-4) 107-121
Italy, Quaternary 140(1-4) 325-333
Spain, sedimentary petrology 140(1-4) 383-399

Paleosols
Africa, Quaternary 136(1-4) 259-279
Alberta, stratigraphy 143(1-3) 87-110
Greenland, stratigraphy 140(1-4) 135-159
Ukraine, Quaternary 143(1-3) 111-133
United Kingdom, Quaternary 137(1-2) 25-54

Paleozoic *see also* Cambrian; Carboniferous; Devonian; Ordovician; Permian
Bakken Formation 142(3-4) 185-200

Palmer Peninsula *see* Antarctic Peninsula

palynomorphs
Alaska, Quaternary 136(1-4) 293-308
China 135(1-4) 27-39
Dinoflagellata
Atlantic Ocean 138(1-4) 187-206; 142(1-2) 51-84
Norway 143(1-3) 159-177
Scandinavia 141(1-2) 67-83
Europe 136(1-4) 165-197
Mongolia, paleomagnetism 143(4) 273-283
pollen
Africa 136(1-4) 259-279
Argentina 138(1-4) 207-219; 141(3-4) 277-301
Atlantic Ocean 138(1-4) 187-206
British Columbia 141(1-2) 123-138
Colombia 139(3-4) 251-267
Congo 136(1-4) 213-229
France 136(1-4) 231-258; 143(1-3) 73-85
Germany 136(1-4) 331-358
Italy 138(1-4) 85-113
Kazakhstan 136(1-4) 281-292
Malay Archipelago 137(1-2) 1-24
New Caledonia 142(1-2) 1-21
New Guinea 137(1-2) 1-24
Papua New Guinea 139(1-2) 59-82
Poland 143(1-3) 73-85
Quaternary 139(1-2) 15-36
Senegal 136(1-4) 213-229
Switzerland 140(1-4) 307-323

United States 141(1-2) 123-138
Utah 138(1-4) 175-185
Russian Federation, paleomagnetism 143(4) 273-283
Pan-African Orogeny
Africa 139(3-4) 107-120
Papua-New Guinea *see* Papua New Guinea
Papuan Basin
Pliocene 139(1-2) 59-82
Paratethys
Germany, Miocene 142(3-4) 107-121
Paris Basin
stratigraphy 137(1-2) 103-125; 139(3-4) 139-175
parsimony
Mediterranean region, Vertebrata 137(3-4) 273-288
Middle East, Vertebrata 137(3-4) 273-288
passive margins
China, Triassic 143(4) 293-305
Patagonia
Quaternary 138(1-4) 207-219
Pebas Formation
Miocene 141(1-2) 85-93
Pecinov Quarry
stratigraphy 136(1-4) 165-197
pedogenesis
Ukraine, Quaternary 143(1-3) 111-133
Pelecypoda *see* Bivalvia
pelite *see* shale
People's Republic of the Congo *see* Congo
Perissodactyla *see* Ceratomorpha
Permian
141(1-2) 174-175
Antarctica 141(1-2) 35-51
Argentina 138(1-4) 221-243
China 142(1-2) 23-31
Guadalupian 143(4) 227-272
Permian-Triassic boundary 143(4) 195-382; 143(4) 227-272
Australasia 143(4) 199-211
China 143(4) 213-226
Italy 138(1-4) 85-113
Japan 141(1-2) 53-65
Mongolia 143(4) 273-283
Russian Federation 143(4) 273-283
Sakmarian, New South Wales Australia 136(1-4) 1-17
Spain 136(1-4) 309-330
Texas 142(3-4) 139-173
Permian-Triassic boundary
143(4) 195-382; 143(4) 227-272
Australasia 143(4) 199-211
China 143(4) 213-226
Italy 138(1-4) 85-113
Japan 141(1-2) 53-65
Mongolia 143(4) 273-283
Russian Federation 143(4) 273-283
Persia *see* Iran
Persian Gulf
petroleum 143(1-3) 191-192
Peru *see* Amazon Basin
Peruc Member
stratigraphy 136(1-4) 165-197
Perugia Italy *see* Gubbio Italy
petrified wood *see* fossil wood
petroleum *see also* petroleum exploration
United Kingdom 140(1-4) 121-134
United States 140(1-4) 121-134
petroleum exploration
Iran 143(1-3) 191-192
Libya 139(1-2) 105-106
Turkey 143(1-3) 191-192
petrologen *see* kerogen
petrology *see* fluid inclusions; volcanism
petrostratigraphy *see* lithostratigraphy
Phanerozoic
142(1-2) 85-86; 143(1-3) 192-193
Australia 142(3-4) 255-258
phosphate rocks
Africa, Cambrian 139(3-4) 107-120
phosphorus
Africa, Cambrian 139(3-4) 107-120
phylogeny *see* adaptive radiation
physical weathering
Antarctic Ocean, stratigraphy 139(3-4) 213-231
phytogeography *see* biogeography
Picea
British Columbia, Holocene 141(1-2) 123-138
United States, Holocene 141(1-2) 123-138
Pinaceae *see* Abies
Pinus
Arizona, Quaternary 141(3-4) 253-275
Kazakhstan, Quaternary 136(1-4) 281-292
Pisces
Chondrichthyes, Spain 141(1-2) 1-12
Germany, Miocene 142(3-4) 107-121
Great Lakes, Quaternary 138(1-4) 271-303
India 137(1-2) 153-172
Ireland, stratigraphy 139(3-4) 121-138
South America, Miocene 143(1-3) 31-50
planar bedding structures *see* bedding; cross-bedding; laminations; rhythmite; ripple drift-cross laminations; sand bodies; varves
Plantae *see also* algae; fossil wood; palynomorphs; Spermatophyta
China, Permian 142(1-2) 23-31
Congo, Quaternary 136(1-4) 213-229
Kansas, Quaternary 136(1-4) 199-211
Nebraska, Quaternary 136(1-4) 199-211
Northwest Territories, sedimentation 141(1-2) 115-122
Papua'New Guinea, Pliocene 139(1-2) 59-82
Queensland Australia, geomorphology 135(1-4) 123-144
Senegal, Quaternary 136(1-4) 213-229
Sphenopsida, Austria 143(4) 307-343
Utah, Quaternary 138(1-4) 175-185
Western Interior, stratigraphy 136(1-4) 145-164
plaster stone *see* gypsum
plate collision
Pakistan, stratigraphy 142(3-4) 201-216
plate tectonics *see also* Arabian Plate; continental drift; passive margins
New Zealand 136(1-4) 97-119
plateau basalts *see* flood basalts
Pleistocene
139(1-2) 101-102; 141(1-2) 167-168
Allerod, Switzerland 140(1-4) 51-73
Arizona 141(3-4) 253-275
Atlantic Ocean 138(1-4) 187-206; 142(1-2) 51-84; 142(3-4) 217-230
Australia 136(1-4) 19-40
Botswana 137(3-4) 305-322
China 135(1-4) 27-39; 140(1-4) 459-473
Eemian
Denmark 138(1-4) 245-258
France 143(1-3) 73-85
Poland 143(1-3) 73-85
Indonesia 136(1-4) 19-40
Italy 136(1-4) 41-52; 136(1-4) 375-376; 140(1-4) 325-333
Japan Sea 135(1-4) 41-50; 135(1-4) 51-69
Kansas 136(1-4) 199-211
Malay Archipelago 137(1-2) 1-24
Nebraska 136(1-4) 199-211
New Caledonia 142(1-2) 1-21
New Guinea 137(1-2) 1-24
Pacific Ocean 137(1-2) 55-77
Rancholabrean 135(1-4) 157-162
Russian Federation 140(1-4) 113-119
Switzerland 140(1-4) 307-323
Ukraine 143(1-3) 111-133
Weichselian, Denmark 138(1-4) 245-258
Wisconsinan, Alaska 136(1-4) 293-308
Younger Dryas
Africa 136(1-4) 259-279
Argentina 141(3-4) 277-301
Germany 140(1-4) 421-432
Oman 137(3-4) 289-303
Switzerland 140(1-4) 51-73
Tyrrhenian Sea 135(1-4) 97-108
Zimbabwe 137(3-4) 305-322
pleniglacial, last *see* last glacial maximum
Pliocene
135(1-4) 157-162
Africa 139(1-2) 1-14
Argentina 136(1-4) 139-144
Atlantic Ocean 138(1-4) 187-206
Caribbean Sea 142(1-2) 88-89
China 135(1-4) 27-39
Italy 135(1-4) 1-25
Mediterranean region 137(3-4) 273-288
Middle East 137(3-4) 273-288
Papua New Guinea 139(1-2) 59-82
Podocopida *see* Cytherocopina
Poland
Quaternary 140(1-4) 335-345; 143(1-3) 73-85
pollen
Africa, Quaternary 136(1-4) 259-279
Argentina, Quaternary 138(1-4) 207-219; 141(3-4) 277-301

Atlantic Ocean, Quaternary 138(1-4) 187-206
British Columbia, Holocene 141(1-2) 123-138
Colombia, Quaternary 139(3-4) 251-267
Congo, Quaternary 136(1-4) 213-229
France, Quaternary 136(1-4) 231-258; 143(1-3) 73-85
Germany, stratigraphy 136(1-4) 331-358
Italy, stratigraphy 138(1-4) 85-113
Kazakhstan, Quaternary 136(1-4) 281-292
Malay Archipelago, Quaternary 137(1-2) 1-24
New Caledonia, Quaternary 142(1-2) 1-21
New Guinea, Quaternary 137(1-2) 1-24
Papua New Guinea, Pliocene 139(1-2) 59-82
Poland, Quaternary 143(1-3) 73-85
Quaternary 139(1-2) 15-36
Senegal, Quaternary 136(1-4) 213-229
Switzerland, Quaternary 140(1-4) 307-323
United States, Holocene 141(1-2) 123-138
Utah, Quaternary 138(1-4) 175-185
pollution
Germany 140(1-4) 85-96
Polyzoa *see* Bryozoa
Porifera
China, Quaternary 138(1-4) 151-173
Hong Kong, Quaternary 138(1-4) 151-173
Portlandian *see* Tithonian
Postglacial *see* Holocene
Pragian
Europe 138(1-4) 69-83
Precambrian *see* upper Precambrian
precession 141(3-4) 233-251
predation
Germany, Vertebrata 143(1-3) 1-29
India, Vertebrata 137(1-2) 153-172
Mexico, Invertebrata 136(1-4) 67-78
Primates 139(1-2) 102-104
problematic fossils
Dacryoconarida, Europe 138(1-4) 69-83
Proboscidea *see* Elephantoidea
Prosauropoda
Vertebrata 143(1-3) 1-29
Proterozoic
141(1-2) 174-175
Pan-African Orogeny, Africa 139(3-4) 107-120
Protista *see also* Radiolaria
Foraminifera
Atlantic Ocean 135(1-4) 71-96; 138(1-4) 1-15; 142(1-2) 87-88
Australia 136(1-4) 19-40
Brazil 142(3-4) 175-184
Caribbean Sea 142(1-2) 88-89
China 138(1-4) 151-173
Egypt 137(1-2) 79-101
England 137(1-2) 103-125
France 137(1-2) 103-125
Greenland 135(1-4) 109-121
Hong Kong 138(1-4) 151-173
Indonesia 136(1-4) 19-40
Italy 135(1-4) 1-25; 136(1-4) 41-52; 138(1-4) 85-113; 139(3-4) 177-193
Japan Sea 135(1-4) 51-69
Libya 141(1-2) 168-170
New Zealand 138(1-4) 43-68
Pacific Ocean 137(1-2) 55-77; 141(1-2) 139-161
Switzerland 137(3-4) 189-203
Tyrrhenian Sea 135(1-4) 97-108
Heterostegina, India 136(1-4) 53-65
Lepidocyclina, India 136(1-4) 53-65
Miogypsina, India 136(1-4) 53-65
Neogloboquadrina pachyderma, Chile 141(3-4) 233-251
Operculina, India 136(1-4) 53-65
psammite *see* sandstone
Pseudopalatus
stratigraphy 143(4) 345-382
Pteridophyta *see* Sphenopsida
Pterina *see* Inocerami
Pterygota *see* Neoptera
Purpurocardia
stratigraphy 136(1-4) 97-119
Pyrenees
stratigraphy, Spanish Pyrenees 141(1-2) 1-12
Pyrgulifera kahuitara
stratigraphy 136(1-4) 97-119
pyroclastics *see also* hyaloclastite
Malay Archipelago, Quaternary 137(1-2) 1-24
New Guinea, Quaternary 137(1-2) 1-24
Qaidam Basin
Quaternary 140(1-4) 459-473
Qazaqstan *see* Kazakhstan
Qinghai China
Quaternary, Qaidam Basin 140(1-4) 459-473
Qinghaicypris crassa
Quaternary 140(1-4) 459-473
quartz
Greenland, Miocene 135(1-4) 109-121
Quaternary *see also* Holocene; last glacial maximum; Pleistocene
138(1-4) 325-326; 140(1-4) 1-473; 141(1-2) 174-175
Africa 139(1-2) 1-14; 141(1-2) 13-34
Antarctic Ocean 139(3-4) 195-211
Antarctica 141(1-2) 163-165
Atlantic Ocean 135(1-4) 71-96; 138(1-4) 17-26
Baltic region 142(1-2) 88
Brunhes Chron
Atlantic Ocean 142(1-2) 51-84
China 140(1-4) 459-473
China 138(1-4) 151-173
Estonia 141(1-2) 165-166
Europe 141(1-2) 13-34
Hong Kong 138(1-4) 151-173
Hungary 140(1-4) 7-21
Idaho 141(1-2) 95-114
Indian Ocean 136(1-4) 359-373
Italy 140(1-4) 97-111
Poland 140(1-4) 335-345
Russian Federation 140(1-4) 401-420
South Africa 136(1-4) 121-137
South America 141(1-2) 163-165
Utah 138(1-4) 175-185
Queen Elizabeth Islands *see* Axel Heiberg Island
Queensland Australia
geomorphology, Burdekin River 135(1-4) 123-144
Quercus
Arizona, Quaternary 141(3-4) 253-275
Quercy
stratigraphy 143(1-3) 179-190
racemization *see* amino acids
radiocarbon dating *see* C-14
Radiolaria
Northern Territory Australia, Cretaceous 138(1-4) 115-138
stratigraphy 143(4) 227-272
rafting, ice *see* ice rafting
Rancholabrean 135(1-4) 157-162
rare earths
Africa, Cambrian 139(3-4) 107-120
rate of sedimentation *see* sedimentation rates
Raton Basin
stratigraphy 136(1-4) 145-164
Recent *see* Holocene
red algae *see* Rhodophyta
red beds
Connecticut, Jurassic 140(1-4) 161-184
Spain, stratigraphy 141(1-2) 1-12
Red Deer River valley
Quaternary 139(3-4) 233-249
redbeds *see* red beds
Redondasaurus
stratigraphy 143(4) 345-382
reefs
stratigraphy 142(1-2) 85-86
regolith
New Caledonia, Quaternary 142(1-2) 1-21
Remoredo Formation
Jurassic 140(1-4) 357-366
remote sensing
Botswana, Quaternary 137(3-4) 305-322
Oman, Quaternary 137(3-4) 289-303
Zimbabwe, Quaternary 137(3-4) 305-322
Reptilia
139(1-2) 102-104
Ceratopsia 138(1-4) 326-327
Crocodilia, stratigraphy 137(3-4) 205-271
Lystrosaurus
Africa 143(4) 345-382
Commonwealth of Independent States 143(4) 345-382
Mongolia 143(4) 273-283
Russian Federation 143(4) 273-283
stratigraphy 143(4) 227-272
Sauropodomorpha, Germany 143(1-3) 1-29
resins
Papua New Guinea, Pliocene 139(1-2) 59-82
Rhaetian
Africa 143(4) 345-382
Commonwealth of Independent States 143(4) 345-382

Rhine River
Quaternary 140(1-4) 421-432
Rhineland-Palatinate Germany *see* Eifel
Rhinocerotidae
Africa 141(1-2) 13-34
Europe 141(1-2) 13-34
rhizoliths
Spain 140(1-4) 383-399
Rhodesia *see* Zimbabwe
Rhodophyta
Italy, Quaternary 137(1-2) 173-187
Rhombodus
stratigraphy 141(1-2) 1-12
rhythmite
Germany, Quaternary 140(1-4) 421-432
Spain, Miocene 140(1-4) 217-243
Switzerland, Quaternary 140(1-4) 51-73; 140(1-4) 307-323
rift zones
France, sedimentary petrology 141(1-2) 170-171
Russian Federation, Quaternary 140(1-4) 401-420
Spain, sedimentary petrology 141(1-2) 170-171
Rijn River *see* Rhine River
rings, tree *see* tree rings
ripple drift-cross laminations
Argentina, Permian 138(1-4) 221-243
ripple marks
Antarctica 141(1-2) 35-51
ripple-cross-laminations *see* ripple drift-cross laminations
rock glaciers
Quaternary 138(1-4) 325-326
rock-stratigraphy *see* lithostratigraphy
Rodentia *see also* Myomorpha
139(1-2) 102-104
Mediterranean region 137(3-4) 273-288
Middle East 137(3-4) 273-288
roestone *see* oolite
Romanche fracture zone
Quaternary 142(3-4) 217-230
root casts *see* rhizoliths
Ross Sea
stratigraphy 139(3-4) 213-231
Rotaliacea *see* Heterostegina; Miogypsinidae; Nummulitidae
Rotaliina *see* Globigerinacea; Orbitoidacea; Rotaliacea
rubblerock *see* breccia
rudstone
Europe, stratigraphy 140(1-4) 245-269
Russian Federation *see also* Urals
paleomagnetism
Moscow Basin 143(4) 273-283
Siberian Platform 143(4) 273-283
Tunguska Basin 143(4) 273-283
Quaternary
Lake Baikal 140(1-4) 401-420
Lake Ladoga 140(1-4) 113-119
Russian Platform
paleomagnetism 143(4) 273-283
Russian Republic *see* Russian Federation
Rutiodon
stratigraphy 143(4) 345-382
Sahel
Quaternary 136(1-4) 213-229
Sakmarian
New South Wales Australia 136(1-4) 1-17
salt marshes
Italy, Quaternary 136(1-4) 41-52
Mexico, Invertebrata 136(1-4) 67-78
sand
Botswana, Quaternary 137(3-4) 305-322
Greenland, Miocene 135(1-4) 109-121
Zimbabwe, Quaternary 137(3-4) 305-322
sand bodies
Antarctica 141(1-2) 35-51
sand dunes *see* dunes
sandstone
Antarctica 141(1-2) 35-51
Libya, petroleum 139(1-2) 105-106
Namibia, Jurassic 140(1-4) 185-215
Northern Territory Australia, Cretaceous 138(1-4) 115-138
South Africa, Jurassic 140(1-4) 185-215
Spain, Miocene 140(1-4) 217-243
Santa Cruz Argentina
Quaternary 138(1-4) 207-219
sapropel
Italy, stratigraphy 135(1-4) 1-25
Tyrrhenian Sea, Quaternary 135(1-4) 97-108
Saskatchewan *see* Bakken Formation; Williston Basin
Sauropodomorpha
Germany 143(1-3) 1-29
savannas
Colombia, Quaternary 139(3-4) 251-267
Congo, Quaternary 136(1-4) 213-229
Senegal, Quaternary 136(1-4) 213-229
Scaglia Formation
paleomagnetism 139(3-4) 177-193
Scandinavia *see* Denmark; Norway; Sweden
Scaphopoda
New Zealand, stratigraphy 136(1-4) 97-119
Scleractinia
France, stratigraphy 139(3-4) 139-175
Scotland *see also* Orcadian Basin
Quaternary, Scottish Highlands 140(1-4) 23-31
Scottish Highlands
Quaternary ,40(1-4) 23-31
Scoyenia
sedimentary petrology 140(1-4) 367-382
Sea of Japan *see* Japan Sea
sea surface temperature *see* sea-surface temperature
sea-level changes *see also* eustacy; transgression
Argentina, Permian 138(1-4) 221-243
Atlantic Ocean, Quaternary 138(1-4) 187-206
China, Quaternary 138(1-4) 151-173
Colombia, Miocene 141(1-2) 85-93
Cretaceous 142(3-4) 123-138
Egypt, Paleocene 137(1-2) 79-101
Europe, stratigraphy 136(1-4) 165-197
Hong Kong, Quaternary 138(1-4) 151-173
Italy, stratigraphy 142(1-2) 33-50
Quaternary 139(1-2) 101-102
stratigraphy 142(1-2) 85-86
sea-surface temperature
New Zealand, Oligocene 138(1-4) 43-68
Pacific Ocean, Quaternary 137(1-2) 55-77
Scandinavia, stratigraphy 141(1-2) 67-83
Tyrrhenian Sea, Quaternary 135(1-4) 97-108
secondary structures *see* concretions
sediment transport *see* marine transport
sedimentary petrology *see* clay mineralogy; diagenesis; reefs; sedimentary structures; sedimentation; sediments; weathering
sedimentary rocks *see also* coal; lithostratigraphy; oil shale
Antarctica, Tertiary 141(3-4) 215-232
argillite, Greenland 135(1-4) 109-121
black shale
Canada 142(3-4) 185-200
Japan 141(1-2) 53-65
United States 142(3-4) 185-200
boundstone, Europe 140(1-4) 245-269
breccia, Greenland 140(1-4) 271-287
Burma, Triassic 143(4) 285-291
carbonate rocks
Argentina 140(1-4) 357-366
Connecticut 140(1-4) 161-184
France 139(3-4) 139-175
Ireland 139(3-4) 121-138
Kentucky 138(1-4) 27-42
Virginia 138(1-4) 27-42
chert, Japan 141(1-2) 53-65
clastic rocks
China 143(4) 293-305
Greenland 140(1-4) 135-159
diamictite
Africa 139(3-4) 107-120
Antarctic Ocean 139(3-4) 213-231
evaporites, Africa 139(3-4) 107-120
Italy, stratigraphy 142(1-2) 33-50
limestone
France 135(1-4) 145-155
Italy 139(3-4) 177-193
Spain 140(1-4) 217-243
marl, France 135(1-4) 145-155
molasse, Germany 142(3-4) 107-121
Mongolia, paleomagnetism 143(4) 273-283
mudstone
Antarctic Ocean 139(3-4) 213-231
Argentina 140(1-4) 357-366
Pakistan 142(3-4) 201-216
Papua New Guinea 139(1-2) 59-82
Spain 140(1-4) 217-243
phosphate rocks, Africa 139(3-4) 107-120
red beds
Connecticut 140(1-4) 161-184

Spain 141(1-2) 1-12
rudstone, Europe 140(1-4) 245-269
Russian Federation, paleomagnetism 143(4) 273-283
sandstone
Antarctica 141(1-2) 35-51
Libya 139(1-2) 105-106
Namibia 140(1-4) 185-215
Northern Territory Australia 138(1-4) 115-138
South Africa 140(1-4) 185-215
Spain 140(1-4) 217-243
shale
Argentina 140(1-4) 357-366
Greenland 140(1-4) 271-287
Mauritania 142(3-4) 91-105
siltstone
Germany 140(1-4) 289-305
Ireland 139(3-4) 121-138
stratigraphy 140(1-4) 1-473
tillite, Africa 139(3-4) 107-120
United Kingdom, petroleum 140(1-4) 121-134
United States, petroleum 140(1-4) 121-134
Vietnam, Triassic 143(4) 285-291
sedimentary structures
Alberta, Quaternary 139(3-4) 233-249
algal biscuits, Argentina 140(1-4) 357-366
bedding, Japan 141(1-2) 53-65
bioherms, France 139(3-4) 139-175
bioturbation 140(1-4) 367-382
England 137(1-2) 103-125
France 137(1-2) 103-125
concretions
Alberta 143(1-3) 87-110
Ukraine 143(1-3) 111-133
cross-bedding, Antarctica 141(1-2) 35-51
graded bedding, Germany 140(1-4) 289-305
laminations
Argentina 140(1-4) 357-366
Germany 140(1-4) 289-305; 140(1-4) 421-432
Scotland 140(1-4) 23-31
Spain 140(1-4) 217-243
lebensspuren 140(1-4) 367-382
Argentina 138(1-4) 221-243
oncolites, Argentina 140(1-4) 357-366
rhizoliths, Spain 140(1-4) 383-399
rhythmite
Germany 140(1-4) 421-432
Spain 140(1-4) 217-243
Switzerland 140(1-4) 51-73; 140(1-4) 307-323
ripple drift-cross laminations, Argentina 138(1-4) 221-243
ripple marks, Antarctica 141(1-2) 35-51
sand bodies, Antarctica 141(1-2) 35-51
stromatolites, Africa 139(3-4) 107-120
varves, Germany 140(1-4) 85-96; 140(1-4) 289-305
sedimentation *see also* basins; diagenesis; sedimentation rates; sediments
biochemical sedimentation, Italy 142(1-2) 33-50
bioclastic sedimentation, Atlantic Ocean 138(1-4) 1-15; 138(1-4) 187-206
continental margin sedimentation, China 143(4) 293-305
detrital sedimentation, Switzerland 140(1-4) 33-50; 140(1-4) 51-73
Europe, stratigraphy 136(1-4) 165-197
fluvial sedimentation, Atlantic Ocean 138(1-4) 17-26
fluviolacustrine sedimentation, Germany 140(1-4) 421-432
France, stratigraphy 135(1-4) 145-155
Italy, Quaternary 140(1-4) 97-111
lacustrine sedimentation
Alberta 140(1-4) 75-83
Hungary 140(1-4) 7-21
Scotland 140(1-4) 23-31
stratigraphy 140(1-4) 1-473
Switzerland 140(1-4) 33-50
sedimentation rates
Alberta, Quaternary 139(3-4) 233-249
Atlantic Ocean, Invertebrata 138(1-4) 1-15
China, Quaternary 140(1-4) 459-473
Germany
Eocene 140(1-4) 289-305
Quaternary 140(1-4) 421-432
Hungary, Quaternary 140(1-4) 7-21
Northwest Territories 141(1-2) 115-122
Switzerland, Quaternary 140(1-4) 51-73
Utah, Quaternary 138(1-4) 175-185
sediments *see also* diagenesis; lithostratigraphy; turbidite; weathering
140(1-4) 433-440
Alberta, Quaternary 140(1-4) 75-83
alluvium
Alberta 143(1-3) 87-110
Italy 140(1-4) 97-111
Antarctica, Tertiary 141(3-4) 215-232
British Columbia, Holocene 141(1-2) 123-138
carbonate sediments, Switzerland 140(1-4) 51-73
China, Quaternary 140(1-4) 459-473
clastic sediments
Alberta 139(3-4) 233-249
Chile 141(3-4) 233-251
clay
Australasia 143(4) 199-211
Germany 140(1-4) 421-432
Scotland 140(1-4) 23-31
Colombia, Quaternary 139(3-4) 251-267
gyttja, Scotland 140(1-4) 23-31
Idaho, Quaternary 141(1-2) 95-114
kaolin, Cretaceous 142(3-4) 123-138
loess
China 135(1-4) 27-39
Germany 140(1-4) 421-432
Ukraine 143(1-3) 111-133
United Kingdom 137(1-2) 25-54
marine sediments
Antarctic Ocean 139(3-4) 195-211; 139(3-4) 213-231
Atlantic Ocean 138(1-4) 1-15; 138(1-4) 17-26; 138(1-4) 187-206
Chile 141(3-4) 233-251
Pacific Ocean 137(1-2) 55-77
New Caledonia, Quaternary 142(1-2) 1-21
New Zealand, Quaternary 139(1-2) 37-58
Poland, Quaternary 140(1-4) 335-345
sand
Botswana 137(3-4) 305-322
Greenland 135(1-4) 109-121
Zimbabwe 137(3-4) 305-322
stratigraphy 140(1-4) 1-473
Switzerland, Quaternary 140(1-4) 33-50
United States, Holocene 141(1-2) 123-138
seismic methods *see also* seismic profiles; seismic stratigraphy
Quaternary 140(1-4) 401-420
seismic profiles
China, Quaternary 138(1-4) 151-173
Hong Kong, Quaternary 138(1-4) 151-173
seismic stratigraphy
China, Quaternary 140(1-4) 459-473
Sellosaurus
Vertebrata 143(1-3) 1-29
Senegal *see* Sahel
Senonian *see* Campanian; Maestrichtian
sensing, remote *see* remote sensing
sequence stratigraphy
Europe 136(1-4) 165-197
France 141(3-4) 199-214; 143(1-3) 179-190
Iran, petroleum 143(1-3) 191-192
Kentucky, Ordovician 138(1-4) 27-42
Russian Federation, Quaternary 140(1-4) 401-420
Spain, Miocene 140(1-4) 217-243
Turkey, petroleum 143(1-3) 191-192
Virginia, Ordovician 138(1-4) 27-42
Sergipe-Alagoas Basin
stratigraphy 142(3-4) 175-184
shale
Argentina, Jurassic 140(1-4) 357-366
Greenland, Paleocene 140(1-4) 271-287
Mauritania, stratigraphy 142(3-4) 91-105
shale oil *see* oil shale
Shansiodon
stratigraphy 143(4) 345-382
sheet silicates *see* chlorite group; clay minerals
shelf, continental *see* continental shelf
Shikoku *see* Tokushima Japan
Shoalhaven Group
stratigraphy 136(1-4) 1-17
shore features *see* lagoons
Shuttle Meadow Formation
Jurassic 140(1-4) 161-184
Siberia
Quaternary 139(1-2) 15-36
Siberian Platform
paleomagnetism 143(4) 273-283
silica minerals *see* opal; quartz
silicates *see* framework silicates; sheet silicates
siliciclastics
Connecticut, Jurassic 140(1-4) 161-184

India, stratigraphy 136(1-4) 53-65
silicified wood *see* fossil wood
siltstone
Germany, Eocene 140(1-4) 289-305
Ireland, stratigraphy 139(3-4) 121-138
Sion-Courmayeur Zone
paleomagnetism 137(3-4) 189-203
Sirte Basin
areal geology 141(1-2) 168-170
petroleum 139(1-2) 105-106
sites, archaeological *see* archaeological sites
size
Oman, Quaternary 137(3-4) 289-303
Skolithos
sedimentary petrology 140(1-4) 367-382
sliding, gravity *see* gravity sliding
slope, continental *see* continental slope
smectite
Antarctic Ocean, stratigraphy 139(3-4) 213-231
snow-patch erosion *see* nivation
soils *see also* Paleosols; pedogenesis
Botswana, Quaternary 137(3-4) 305-322
laterites, New Caledonia 142(1-2) 1-21
Zimbabwe, Quaternary 137(3-4) 305-322
Solyma flemingae
stratigraphy 136(1-4) 97-119
Sonora Mexico
Invertebrata 136(1-4) 67-78
Sonoran Desert
Quaternary 141(3-4) 253-275
Sorites
stratigraphy 136(1-4) 53-65
South Africa
Jurassic, Karroo Basin 140(1-4) 185-215
Quaternary 136(1-4) 121-137
stratigraphy 143(4) 345-382
South America *see also* Argentina; Bolivia; Brazil; Chile; Colombia; Peru
Miocene, Amazon Basin 141(1-2) 85-93; 143(1-3) 31-50
Quaternary 139(1-2) 83-100; 141(1-2) 163-165
Lake Titicaca 143(1-3) 51-72
Patagonia 138(1-4) 207-219
Tierra del Fuego 141(3-4) 277-301
South Atlantic *see* Angola Basin; Walvis Ridge
South Austrian Alps
stratigraphy 143(4) 307-343
South Island
Oligocene 138(1-4) 43-68
paleomagnetism 143(4) 199-211
South Massif *see* Causses
South Vietnam *see* Vietnam
South-West Africa *see* Namibia
Southern Africa *see* Botswana; Namibia; South Africa; Zimbabwe
Southern Europe *see* Croatia; Iberian Peninsula; Istria; Italy
Southern Oscillation
New Zealand, Quaternary 139(1-2) 37-58
Southern Rhodesia *see* Zimbabwe
Spain
Miocene 140(1-4) 217-243
paleomagnetism, Basque Provinces Spain 141(3-4) 303-328
sedimentary petrology 140(1-4) 383-399; 141(1-2) 170-171
stratigraphy
Caravaca Spain 141(1-2) 67-83
Iberian Mountains 136(1-4) 309-330
Lerida Spain 141(1-2) 1-12
Spanish Pyrenees 141(1-2) 1-12
Spanish Pyrenees
stratigraphy 141(1-2) 1-12
spectra *see* infrared spectra
spectroscopy
gamma-ray spectroscopy, Quaternary 137(3-4) 305-322
Spermatophyta
Abies
British Columbia 141(1-2) 123-138
United States 141(1-2) 123-138
Angiospermae
Mexico 142(3-4) 231-254
Texas 142(3-4) 139-173
Coniferales, Austria 143(4) 307-343
Cycadales, Austria 143(4) 307-343
Dicotyledoneae, Malaysia 139(1-2) 83-100
Ginkgoales, Austria 143(4) 307-343
Gymnospermae, France 141(3-4) 199-214
Nothofagus, Argentina 141(3-4) 277-301
Picea
British Columbia 141(1-2) 123-138
United States 141(1-2) 123-138
Pinus
Arizona 141(3-4) 253-275
Kazakhstan 136(1-4) 281-292
Quercus, Arizona 141(3-4) 253-275
Ulmaceae, geochemistry 138(1-4) 259-269
Sphenopsida
Austria, stratigraphy 143(4) 307-343
Spiroclypeus
stratigraphy 136(1-4) 53-65
Spitsbergen
paleomagnetism 143(4) 199-211
Spongiae *see* Porifera
Sr-87/Sr-86
Atlantic Ocean, Quaternary 142(3-4) 217-230
Colombia, Miocene 141(1-2) 85-93
Germany, Miocene 142(3-4) 107-121
Idaho, Quaternary 141(1-2) 95-114
stable isotopes *see* C-13/C-12; N-15/N-14; Nd-144/Nd-143; O-18/O-16
Stevns Klint
stratigraphy 141(1-2) 67-83
stratigraphic boundary *see also* K-T boundary; Permian-Triassic boundary
Austria, Triassic 136(1-4) 79-95
stratigraphy *see* Cambrian; Carboniferous; Cenozoic; coprolites; Cretaceous; Devonian; Eocene; Holocene; Jurassic; Mesozoic; Miocene; Mississippian; Neogene; Oligocene; Ordovician; Paleocene; Paleogene; paleomagnetism; palynomorphs; Permian; Phanerozoic; Pleistocene; Pliocene; Proterozoic; Quaternary; Tertiary; Triassic
stream transport *see* fluvial sedimentation
stromatolites
Africa, Cambrian 139(3-4) 107-120
strontium
Sr-87/Sr-86
Atlantic Ocean 142(3-4) 217-230
Colombia 141(1-2) 85-93
Germany 142(3-4) 107-121
Idaho 141(1-2) 95-114
structural basins *see* basins
structural geology *see* deformation; faults; orogeny; tectonics
subfossils
Poland, Quaternary 140(1-4) 335-345
Switzerland, Quaternary 140(1-4) 307-323
succession
Argentina, Quaternary 138(1-4) 207-219
Utah, Quaternary 138(1-4) 175-185
Sulaiman Range
stratigraphy 142(3-4) 201-216
sulfates *see* gypsum
superplumes
stratigraphy 141(3-4) 177-198
surveys *see* geophysical surveys
Svalbard *see* Spitsbergen
Sweden
stratigraphy 140(1-4) 347-356
Switzerland
paleomagnetism 137(3-4) 189-203
Quaternary 140(1-4) 33-50; 140(1-4) 307-323
Geneva Switzerland 140(1-4) 51-73
Sydney Basin
stratigraphy 136(1-4) 1-17
symposia
stratigraphy 140(1-4) 1-473; 143(4) 195-382
Synapsida *see* Therapsida
Syrte Basin *see* Sirte Basin
Tacuruichnus farinai
ichnofossils 136(1-4) 139-144
talus fan *see* alluvial fans
taphocoenosis *see* thanatocenoses
tectogenesis *see* orogeny
tectonics *see also* basins; plate tectonics; uplifts
extension tectonics
Namibia 140(1-4) 185-215
South Africa 140(1-4) 185-215
inversion tectonics
United Kingdom 140(1-4) 121-134
United States 140(1-4) 121-134
tectonophysics *see* continental drift; paleomagnetism; plate tectonics
Tentaculites
Europe 138(1-4) 69-83
tephra *see* pyroclastics

tephrochronology
Alberta, Quaternary 139(3-4) 233-249; 140(1-4) 75-83
Idaho, Quaternary 141(1-2) 95-114
Tertiary *see also* Neogene; Paleogene
Africa 141(1-2) 13-34
Antarctica 141(3-4) 215-232
Europe 141(1-2) 13-34
Libya 141(1-2) 168-170
Spain 140(1-4) 383-399
Tethys
Australasia, paleomagnetism 143(4) 199-211
Mediterranean region, Jurassic 137(1-2) 127-151
Mediterranean Sea, Cretaceous 138(1-4) 305-323
Pakistan, stratigraphy 142(3-4) 201-216
Spain, stratigraphy 141(1-2) 1-12
Switzerland, paleomagnetism 137(3-4) 189-203
Tetrabranchiata *see* Ammonoidea; Nautiloidea
Tetrapoda *see* Amphibia; Aves; Mammalia; Reptilia
Texas
Permian, Baylor County Texas 142(3-4) 139-173
Th *see* thorium
thanatocenoses
Germany, environmental geology 140(1-4) 85-96
Therapsida *see* Dicynodontia
Theria *see* Eutheria
thermoluminescence
Botswana, Quaternary 137(3-4) 305-322
Denmark, Quaternary 138(1-4) 245-258
Italy, Pleistocene 136(1-4) 375-376
Namibia, Quaternary 138(1-4) 139-149
Zimbabwe, Quaternary 137(3-4) 305-322
thorium
Austria, Triassic 136(1-4) 79-95
Tien Shan
paleomagnetism 143(4) 273-283
Tierra del Fuego
Quaternary 141(3-4) 277-301
tillite
Africa, Cambrian 139(3-4) 107-120
Timor Sea
Cretaceous 138(1-4) 115-138
Tithonian
Italy 135(1-4) 163-177
Togo *see* Volta Basin
Tokushima Japan
stratigraphy 141(1-2) 53-65
Tooele County Utah
Quaternary 138(1-4) 175-185
total organic carbon
Canada, stratigraphy 142(3-4) 185-200
Italy, stratigraphy 142(1-2) 33-50
United States, stratigraphy 142(3-4) 185-200
tracers
Idaho, Quaternary 141(1-2) 95-114
tracks
Spain, sedimentary petrology 140(1-4) 383-399
transgression
Africa, Cambrian 139(3-4) 107-120
Atlantic Ocean, Quaternary 142(3-4) 217-230
Australasia, paleomagnetism 143(4) 199-211
Brazil, stratigraphy 142(3-4) 175-184
Europe, stratigraphy 140(1-4) 245-269
France, stratigraphy 141(3-4) 199-214
South America, Miocene 143(1-3) 31-50
stratigraphy 141(3-4) 177-198
Switzerland, paleomagnetism 137(3-4) 189-203
transport
Australia, stratigraphy 136(1-4) 19-40
India, Vertebrata 137(1-2) 153-172
Indonesia, stratigraphy 136(1-4) 19-40
tree rings
New Zealand, Quaternary 139(1-2) 37-58
Trentino-Alto Adige Italy
stratigraphy 138(1-4) 85-113
Triassic
Anisian
Africa 143(4) 345-382
Commonwealth of Independent States 143(4) 345-382
Austria 136(1-4) 79-95
Burma 143(4) 285-291
Carnian
Africa 143(4) 345-382
Austria 143(4) 307-343
Commonwealth of Independent States 143(4) 345-382
China 143(4) 293-305
Chinle Formation 143(4) 345-382
Greenland 140(1-4) 135-159
Ladinian
Africa 143(4) 345-382
Commonwealth of Independent States 143(4) 345-382
Norian
Africa 143(4) 345-382
Commonwealth of Independent States 143(4) 345-382
Germany 143(1-3) 1-29
Permian-Triassic boundary 143(4) 195-382; 143(4) 227-272
Australasia 143(4) 199-211
China 143(4) 213-226
Italy 138(1-4) 85-113
Japan 141(1-2) 53-65
Mongolia 143(4) 273-283
Russian Federation 143(4) 273-283
Rhaetian
Africa 143(4) 345-382
Commonwealth of Independent States 143(4) 345-382
Spain 136(1-4) 309-330
United Kingdom 140(1-4) 121-134
United States 140(1-4) 121-134
Vietnam 143(4) 285-291
Trilobita 143(1-3) 193-194
Tsaidam Basin *see* Qaidam Basin
Tunguska Basin
paleomagnetism 143(4) 273-283
Tunisia
stratigraphy, El Kef Tunisia 141(1-2) 67-83
turbidite
Germany, Eocene 140(1-4) 289-305
sedimentary petrology 140(1-4) 367-382
Switzerland, Quaternary 140(1-4) 51-73
turbidity current structures *see* graded bedding
Turkey
petroleum 143(1-3) 191-192
Tyrrhenian Sea
Quaternary 135(1-4) 97-108; 137(1-2) 173-187
U *see* uranium
Ukraine *see* Black Sea region
Ulmaceae
geochemistry 138(1-4) 259-269
Umbria Italy *see also* Perugia Italy
Quaternary 140(1-4) 325-333
stratigraphy 142(1-2) 33-50
unconformities *see* erosional unconformities
United Kingdom *see also* Great Britain
Quaternary 137(1-2) 25-54
United States *see also* Alaska; Arizona; Colorado; Connecticut; Idaho; Kansas; Kentucky; Massachusetts; Montana; Nebraska; New England; New Mexico; North Dakota; Texas; Utah; Virginia; Wyoming
Holocene, Cascade Range 141(1-2) 123-138
stratigraphy 143(4) 345-382
uplifts
Germany, Miocene 142(3-4) 107-121
Kentucky, Ordovician 138(1-4) 27-42
Northern Territory Australia, Cretaceous 138(1-4) 115-138
Pakistan, stratigraphy 142(3-4) 201-216
Virginia, Ordovician 138(1-4) 27-42
upper Cenozoic *see* Matuyama Chron
Upper Cretaceous *see* Cenomanian; K-T boundary; Senonian
Upper Devonian *see* Famennian; Frasnian
Upper Jurassic *see* Kimmeridgian; Oxfordian; Portlandian
upper Miocene *see* Messinian
Upper Ordovician *see* Ashgillian
upper Paleozoic *see* Bakken Formation
Upper Permian *see* Permian-Triassic boundary; Zechstein
upper Pleistocene *see* Eemian; Rancholabrean; Weichselian; Wisconsinan
upper Precambrian *see* Proterozoic
upper Quaternary *see* Brunhes Chron
Upper Triassic *see* Carnian; Chinle Formation; Norian; Rhaetian
Upper Volta *see* Burkina Faso
upper Weichselian *see* Allerod; Younger Dryas
Urals
stratigraphy 143(4) 345-382

uranium
Austria, Triassic 136(1-4) 79-95
Utah
Quaternary
Box Elder County Utah 138(1-4) 175-185
Great Salt Lake 138(1-4) 175-185
Tooele County Utah 138(1-4) 175-185
Valanginian
France 135(1-4) 145-155
Switzerland 137(3-4) 189-203
varves
Germany
environmental geology 140(1-4) 85-96
Eocene 140(1-4) 289-305
Vema fracture zone
Quaternary 142(3-4) 217-230
Venezia-Tridentina *see* Trentino-Alto Adige Italy
Venice Italy
Quaternary 136(1-4) 41-52
Vermes *see* Annelida
Vertebrata *see also* Pisces; Tetrapoda
Libya, areal geology 141(1-2) 168-170
Mexico, stratigraphy 142(3-4) 231-254
Veszprem Hungary *see* Lake Balaton
Victoria Land *see* Allan Hills
Vietnam
Triassic 143(4) 285-291
Vinjhanian
stratigraphy 136(1-4) 53-65
Virginia
Ordovician 138(1-4) 27-42
Vitaback Clay
stratigraphy 140(1-4) 347-356
Vocontian Trough
stratigraphy 135(1-4) 145-155
volcanic rocks *see* basalts; pyroclastics
volcanism
Australasia, paleomagnetism 143(4) 199-211
Greenland, Paleocene 140(1-4) 271-287
Namibia, Jurassic 140(1-4) 185-215
South Africa, Jurassic 140(1-4) 185-215
stratigraphy 141(3-4) 177-198; 143(4) 227-272
Volta Basin
Cambrian 139(3-4) 107-120
Voltaic Republic *see* Burkina Faso
volume susceptibility (magnetic) *see* magnetic susceptibility
Vorarlberg Austria
Triassic 136(1-4) 79-95
vulcanism *see* volcanism
Wahiba Sands
Quaternary 137(3-4) 289-303
Waiorian
stratigraphy 136(1-4) 53-65
Walvis Ridge
Quaternary 135(1-4) 71-96
water biscuits *see* algal biscuits
weathering
chemical weathering
Antarctic Ocean 139(3-4) 213-231
Antarctica 141(3-4) 215-232
Cretaceous 142(3-4) 123-138
Hungary, Quaternary 140(1-4) 7-21
physical weathering, Antarctic Ocean 139(3-4) 213-231
Weddell Sea
Quaternary 139(3-4) 195-211
Wegener hypothesis *see* continental drift
Weichselian *see also* upper Weichselian
Denmark 138(1-4) 245-258
well-logging
electrical logging, China 140(1-4) 459-473
Weller Coal Measures
sedimentary petrology 141(1-2) 35-51
Werfen Formation
stratigraphy 138(1-4) 85-113
West Africa *see* Burkina Faso; Mauritania; Niger; Senegal; Togo
West Atlantic
Quaternary 142(3-4) 217-230
West Mediterranean *see* Tyrrhenian Sea
West Pacific *see* Northwest Pacific
West Siberian Platform *see* Siberian Platform
Western Canada *see* Alberta; British Columbia; Manitoba; Saskatchewan
Western Canada Basin
stratigraphy 143(1-3) 87-110
Western Europe *see* France; Ireland; Scandinavia; United Kingdom
Western Interior *see* Montana; Wyoming
Williston Basin
stratigraphy 136(1-4) 145-164; 142(3-4) 185-200
Wisconsinan
Alaska 136(1-4) 293-308
Wyoming
stratigraphy 136(1-4) 145-164
Xianggang China *see* Hong Kong
Younger Dryas
Africa 136(1-4) 259-279
Argentina 141(3-4) 277-301
Germany 140(1-4) 421-432
Oman 137(3-4) 289-303
Switzerland 140(1-4) 51-73
Tyrrhenian Sea 135(1-4) 97-108
Zaire River *see* Congo River
Zechstein *see* Kupferschiefer
Zhejiang China
stratigraphy, Changxing China 143(4) 213-226
Zimbabwe
Quaternary 137(3-4) 305-322
zinc
geochemistry 140(1-4) 441-457